

- 2009

- Backman, J., **Fornaciari, E., Rio, D.** (2009). Biochronology and paleoceanography of late Pleistocene and Holocene calcareous nannofossil abundances across the Arctic Basin. *Marine Micropaleontology* 72 (1-2), 86 - 98. doi: 10.1016/j.marmicro.2009.04.001
- Blaj T. , Backman J., **I. Raffi.** (2009). Late Eocene to Oligocene preservation history and biochronology of calcareous nannofossils from paleo-equatorial Pacific Ocean sediments. *Rivista Italiana di Paleontologia e Stratigrafia*, 115, 67-84.
- Böhm G., Ocakoğlu N., **Picotti S., De Santis L.**, 2009. West Antarctic Ice Sheet evolution: new insights from a seismic tomographic 3D depth model in the Eastern Ross Sea (Antarctica) *Marine Geology* 266, 109-128.
- Incarbona, A., Di Stefano, E., Bonomo, S.**, (2009). Calcareous Nannofossil Biostratigraphy of the Central Mediterranean Basin during the last 430 000 years. *Stratigraphy* 6, 33-44.
- Lyle M.W., **Raffi I.**, Pälike H., Nishi H., Gamage K., Klaus A., IODP Expedition 320/321 Scientists (2009). Pacific Equatorial Transect. *IODP Prel. Rept.*, 321. doi:10.2204/iodp.pr.321.2009
- Maiorano P., Marino M., Flores J.** (2009). The warm interglacial Marine Isotope Stage 31: evidences from calcareous nannofossil assemblages at Site 1090 (Southern Ocean). *Marine Micropaleontology*, vol. 71, p. 166-175, doi: 10.1016/j.mar.micro.2009.03.002
- Marino M., Maiorano P., Lirer F., Pelosi N.** (2009). Response of calcareous nannofossil assemblages to paleoenvironmental changes through the mid-Pleistocene revolution at Site 1090 (Southern Ocean). *Palaeogeography, Palaeoclimatology, Palaeoecology* vol. 280, p. 333-349, doi: 10.1016/j.palaeo.2009.06.019
- Morgan, J.K., Silver, E., **Camerlenghi, A.**, Dugan, B., Kirby, S., Shipp, C., Suyehiro, K., 2009. Addressing geohazards through ocean drilling. *Scientific Drilling* 7,15-30.
- Neagu, R.C., **Tinivella, U., Volpi, V., Rebesco, M., Camerlenghi, A.**, 2009. Estimation of biogenic silica contents in marine sediments using seismic and well log data: Sediment Drift 7, Antarctica. *International Journal of Earth Sciences* 98, 839-848.
- Premoli Silva I., Caron M., Leckie R. M., Petrizzo M. R., Soldan D., Verga D.** (2009). *Paraticinella* n. gen. and taxonomic revision of *Ticinella bejaouensis* Sigal, 1966. *Journal of Foraminiferal Research*, v. 39, n. 2, p. 126-137.
- Raffi I. , Backman J. , Zachos J. C. , Sluijs A.** (2009). The response of calcareous nannofossil assemblages to the Paleocene/Eocene Thermal Maximum at the Walvis Ridge in the South Atlantic. *Marine Micropaleontology*, 70, 201-212. doi: 101016/j.marmicro.2008.12.005
- Tartarotti P., Fontana E., Crispini L.** (2009). Deformation pattern in

a massive ponded lava flow at ODP-IODP Site 1256 (Pacific Ocean): a core and log approach. *Geochem. Geophys. Geosyst.*, 10, Q05O17. DOI:10.1029/2008GC002346.

Volpi V., Rebesco M. and Diviacco, P., 2009. New insights in the evolution of Antarctic glaciation from depth conversion of well-log calibrated seismic section of Prydz Bay. *International Journal of Earth Sciences*, 98, 1991-2007.

- 2008

- Agnini, C., Fornaciari, E., Raffi, I.**, 2008. Three new species of calcareous nannofossils from Late Palaocene and Early Eocene assemblages (Ocean Drilling Program Site 1262, Walvis Ridge, SE Atlantic Ocean). *J. Nannoplankton Res.*, 30 (1), 51-56.
- Aziz, H. A., **Di Stefano, A., Foresi, L. M.**, Hilgen, F.J., **Iaccarino, S. M.**, Kuiper, K.F., **Lirer, F., Salvatorini, G.**, and **Turco, E.**, 2008. Integrated stratigraphy and $^{40}\text{Ar}/^{39}\text{Ar}$ chronology of early Middle Miocene sediments from DSDP Leg 42A, Site 372 (western Mediterranean). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 257: 123-138.
- Cita, M. B., Capraro, L., Ciaranfi, N., Di Stefano, E., Lirer, F., Maiorano, P., Marino, M., Raffi, I., Rio, D., Sprovieri, R., Stefanelli, S., and Vai, G. B.**, 2008. The Calabrian Stage redefined. *Episodes*, 31, n°4.
- Di Stefano, A., Foresi, L. M., Lirer, F., Iaccarino, S. M., Turco, E., Amore, F. O., Mazzei, R., Morabito, S., Salvatorini, G.** & Aziz H.A., 2008. Calcareous plankton high resolution biomagnetostratigraphy for the Langhian of the Mediterranean area. *Rivista Italiana di Paleontologia e Stratigrafia*, 114 (1): 51-76, Milano.
- Di Stefano, E. and Incarbona, A.**, 2008. Calcareous nannofossil biostratigraphy and chronostratigraphy of ODP Hole 964D (Eastern Mediterranean Sea). *Rivista Italiana di Paleontologia e Stratigrafia*, 114: 313-322.
- Forster, A., Kuypers, M. M. M., Turgeon, S. C., Brumsack, H-J., **Petrizzo, M. R.**, and Sinninghe Damsté, J. S., 2008. The Cenomanian/Turonian oceanic anoxic event in the South Atlantic: new insights by a geochemical study of DSDP Leg 75 Site 530A. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 267: 256-283.
- Hillenbrand, C.-D., **Camerlenghi, A.**, Cowan, E.A., Hernández-Molina, F.J., **Lucchi, R.G., Rebesco, M.**, Uenzelmann-Neben, G., 2008. The present and past bottom-current flow regime around the sediment drifts on the continental rise west of the Antarctic Peninsula. *Marine Geology* 255, 55-63.
- Incarbona, A., Bonomo, S., Di Stefano, E., Zgozi, S., Essarbout, N., Talha, M., Tranchida, G., Bonanno, A., Patti, B., Placenti, F., Buscaino G., Cuttitta, A., Basilone, G., Bahri T., Massa, F., Censi, P., and Mazzola, S.**, 2008. Calcareous nannofossil surface sediment assemblages from the Sicily Channel (central Mediterranean Sea): palaeoceanographic implications. *Marine Micropaleontology*, 67: 297-309.
- Incarbona, A., Di Stefano, E., Patti, B., Pelosi, N., Bonomo, S., Mazzola, S., Sprovieri, R., Tranchida, G., Zgozi S., and Bonanno, A.**, 2008. Holocene millennial-scale productivity variations in the Sicily Channel (Mediterranean Sea). *Paleoceanography* 23, PA3204, doi:10.1029/2007PA001581.

- Marino, M., Maiorano, P., and Lirer, F.**, 2008. Changes in calcareous nannofossil assemblages during the Mid-Pleistocene Revolution. *Marine Micropaleontology*, 69: 70-90 ISSN: 0377-8398. doi:10.1016/j.marmicro.2007.11.010.
- Neagu, C. R., Tinivella, U., Volpi, V., Rebesco, M.**, Camerlenghi, A., 2008. Estimation of biogenic silica content in marine sediments using seismic and log data. *Sediment drift 7 - Antarctica. International Journal of Earth Science*, doi:10.1007/s00531-008-0315-2.
- Neal, C.R., Coffin, M.F., Arndt, N.T., Duncan, R.A., Eldholm, O., **Erba, E.**, Farnetani, C., Fitton, J.G., Ingle, S.O.P., Ohkouchi, N., Rampino, M.R., Reichow, M.K., Self, S., and Tatsumi, Y., 2008. Investigating Large Igneous Province Formation and Associated Paleoenvironmental Events: A White Paper for Scientific Drilling. *Scientific Drilling* 6: 4-18. doi:10._04/iodp.sd.6.01._008.
- Persico, D. and Villa, G.**, 2008. A new Eocene Chiasmolithus species: hypothetic reconstruction of the phyletic lineage. *Journal of Nannoplankton Research*, 30 (1): 23-33.
- Petrizzo, M. R., Huber, B. T., Wilson, P.A., and MacLeod, K. G.**, 2008. Late Albian paleoceanography of the western tropical North Atlantic. *Paleoceanography*, 23, PA1213, 17 pp., doi: 10.1029/2007PA001517.
- Petrizzo, M. R., Leoni, G., Speijer, R. P., De Bernardi, B., and Felletti, F.**, 2008. Dissolution susceptibility of some Paleogene Planktonic Foraminifera from ODP Site 1209 (Shatsky Rise, Pacific Ocean). *Journal of Foraminiferal Research*, 38 (4): 357-371.
- Raffi, I. and De Bernardi, B.**, 2008. Response of calcareous nannofossils to the Paleocene-Eocene Thermal Maximum: observations on composition, preservation and calcification in sediments from ODP Site 1263 (Walvis Ridge-SW Atlantic). *Marine Micropaleont.*, 69: 119-138.
- Ranero, C.R., Grevemeyer, I., Sahling, H., Barckhausen, U., Hensen, C., Wallmann, K., Weinrebe, W., **Vannucchi, P.**, von Huene, R., and McIntosh, K., 2008. Hydrogeological system of erosional convergent margins and its influence on tectonics and interplate seismogenesis. *Geochem. Geophys. Geosyst.*, 9, Q03S04, doi:10.1029/2007GC001679, 11 March 2008.
- Rebesco M.**, Camerlenghi, A., 2008. Late Pliocene margin development and mega debris flow deposits on the Antarctic continental margins: Evidence of the onset of the modern Antarctic Ice Sheet?. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 260: 149-167.
- Sprovieri, M., Ribera D'Alcalà, M., Salvagio Manta, D., Bellanca, A., Neri, R., Lirer, F., Taberner Hernandez, C., Jose Pueyo, J., and Sammartino, S.**, 2008. Ba/Ca evolution in water masses of the Mediterranean late Neogene. *Paleoceanography*, 23: 1-17.

- Suhr, G., Hellebrand, E., Johnson, K., and **Brunelli, D.**, 2008. Stacked gabbro units and intervening mantle: A detailed look at a section of IODP Leg 305, Hole U1309D. *Geochem. Geophys. Geosyst.*, 9, Q10007, doi:10.1029/2008GC002012.
- Tremolada, F., De Bernardi, B.,** and **Erba, E.** (2008). Size variations of the calcareous nannofossils taxon *Dicoaster (Incertae sedis)* across the Paleocene-Eocene thermal maximum in ocean drilling program holes 690B and 1209B. *Marine Micropaleont.*, 67: 239-254.
- Umino, S., **Crispini, L., Tartarotti, P.**, Teagle, D. A. H., Alt, J. C., Miyashita, S., Banerjee, N. R., 2008. Origin of the sheeted dike complex at superfast spread East Pacific Rise revealed by deep ocean crust drilling at Ocean Drilling Program Hole 1256D. *Geochem. Geophys. Geosyst.*, 9, Q06008, <http://dx.doi.org/10.1029/2007GC001760> 14 June 2008
- Villa, G., Fioroni, C., Pea, L.,** Bohaty S.M., **Persico, D.**, 2008. Middle Eocene. Late Oligocene climate variability: Calcareous Nannofossil response at Kerguelen Plateau, Site 748. *Marine Micropaleont.*, 69: 173-192.
- Villa, G., Lupi, C., Cobianchi, M., Florindo, F.,** Pekar, S.F., 2008. A Pleistocene Warming Event at 1 Ma in Prydz Bay, East Antarctica: Evidence from ODP Site 1165. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 260: 230-244. doi:[10.1016/j.palaeo.2007.08.017](https://doi.org/10.1016/j.palaeo.2007.08.017)
- Volpi, V., Rebesco, M.** and **Diviacco, P.**, 2008. New insights in the evolution of Antarctic glaciation from depth conversion of well-log calibrated seismic section of Prydz Bay. *International Journal of Earth Sciences*, doi:10.1007/s00531-008-0356-6.
- Westerhold, T., Röhl, U., **Raffi, I., Fornaciari, E., Monechi, S., Reale, V.**, Bowles, J., Evans, H.F., 2008. Astronomical calibration of the Paleocene time. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 257: 377-403.

- 2007

- Agnini, C., Fornaciari, E., Raffi, I., Rio, D.**, Röhl, U., Westerhold, T., 2007. High-resolution nannofossil biochronology of middle Paleocene to early Eocene at ODP Site 1262: Implications for calcareous nannoplankton evolution. *Marine Micropaleontology*, vol. 64: 215-248, doi: 10.1016/j.marmicro.2007.05.003
- Alt, J.C., Teagle, D.A.H., Umino, S., Miyashita, S., Banerjee N.R., Wilson, D.S., and the IODP Expeditions 309 and 312 Scientists, and the ODP Leg 206 Scientific Party, 2007. IODP Expeditions 309 and 312 drill an intact section of upper oceanic basement into gabbros. *Scientific Drilling*, No. 4, March 2007. doi: 10.2204/iodp.sd.4.01.2007. (**Tartarotti, P., Crispini, L., Galli, L.**).
- van Breugel, Y., Schouten, S., Tsikos, H., **Erba, E.**, Price, G.D., and Sinninghe Damstè, J.S., 2007. Synchronous negative carbon isotope shifts in marine and terrestrial biomarkers at the onset of the early Aptian oceanic anoxic event 1a: Evidence for the release of ^{13}C -depleted carbon into the atmosphere. *Paleoceanography* 22, PA1210, doi:10.1029/2006PA001341.
- De Natale, G., Troise, C., and **Sacchi, M.**, 2007. The Campi Flegrei Deep Drilling Project. *Scientific Drilling*, No. 4: 48-50.
- Ildefonse, B., Blackman, D., John, B.E., Ohara, Y., Miller, D.J., MacLeod, C.J., and Integrated Ocean Drilling Program Expeditions 304/305 Science Party, 2007. Oceanic core complexes and crustal accretion at slow-spreading ridges. *Geology*, 35: 623-626. doi: 10.1130/G23531A. (**Brunelli, D.**).
- Laverne, C., **Tartarotti, P.**, Grauby, O., and Siantonas, A.C., 2007. Data report: chemical composition of minerals from a lava pond, ODP Site 1256. In: Teagle, D.A.H., Wilson, D.S., Acton, G.D., and Vanko, D.A. (Eds.), *Proc. ODP, Sci. Results*, 206: College Station, TX (Ocean Drilling Program). doi:10.2973/odp.proc.sr.206.006.2006.
- Leoni, L., **Vannucchi P.**, 2007. Deformation pattern in the underthrust carbonate rich sequenze of the Sibillini thrust: insights for shear zone evolution in modern subduction complexes. *Geodinamica Acta*, 20(1-2): 53-69.
- Petrizzo, M. R.**, 2007. The onset of the Paleocene-Eocene Thermal Maximum (PETM) at Sites 1209 and 1210 (Shatsky Rise, Pacific Ocean) as recorded by planktonic foraminifera. *Marine Micropaleontology*, 63: 187-200.
- Ranero, C.R., **Vannucchi, P.**, von Huene, R., and the CRISP proponents, 2007. Drilling the Seismogenic Zone of an Erosional Convergent Margin: IODP Costa Rica Seismogenesis Project CRISP. *Scientific Drilling* IODP/ICDP, Special Edition n.1: 51-54, doi:10.0/iodp.sd.s01.9.007.
- Savov, I.P., Ryan J.G., **D'Antonio M.**, and Fryer, P., 2007. Shallow slab fluid release across and along the Mariana arc-basin system: insights from geochemistry of serpentized peridotites

from the Mariana fore arc., *J. Geophys. Res.*, 112, B09205
doi:10.1029/2006JB004749.

- Sprovieri, M., Pelosi N., Sprovieri R., Incarbona A.**, and Ribera d'Alcalà, M., 2007. L'evoluzione del clima nell'area mediterranea durante l'intervallo 20.000-70.000 anni. In: Carli, B., Cavarretta, G., Colacino, M., Fuzzi, S., (Eds.), *Clima e cambiamenti climatici: le attività di ricerca del CNR*, 177-180.
- Tremolada, F., Erba, E.**, and Bralower, T., 2007. A review of calcareous nannofossil changes during the early Aptian Oceanic Anoxic Event 1a and the Paleocene-Eocene Thermal Maximum: The influence of fertility, temperature, and pCO₂. *The Geological Society of America Special Paper*, 424: 87-96.
- Vannucchi, P.** and Leoni, L., 2007. Extension and shear fracturing in the Costa Rica décollement caused by seismically-induced fluid pulsing. *Earth and Planetary Science Letters*, 262 (3-4): 413-428.
- Vannucchi, P.**, Fisher, D.M., and Gardner, T.W., 2007. Reply on Comment by D. M. Buchs and P. O. Baumgartner on "From seamount accretion to tectonic erosion: Formation of Osa Mélange and the effects of the Cocos Ridge subduction in southern Costa Rica". *Tectonics*, 26, No. 3, TC3010.
- Verducci, M., Foresi, L. M., Tiepolo, M., Sprovieri, M., and Lirer, F.**, 2007. East Antarctic Ice Sheet fluctuations during the Middle Miocene Climatic Transition inferred from faunal and biogeochemical data on planktonic foraminifera (ODP Hole 747A, Kerguelen Plateau). *U.S. Geological Survey and The National Academics; USGS OF-2007-1047*, Short Research Paper 037; doi:10.3133/of2007-1047.srp037.
- Westerhold, T., Röhl, U., Laskar, J., **Raffi, I.**, Bowles, J., Lourens, L. J., and Zachos, J. C., 2007. On the duration of magnetostratigraphic C24r and C25n and the timing of early Eocene global warming events: Implications from the Ocean Drilling Program Leg 208 Walvis Ridge depth transect, *Paleoceanography*, 22, PA2201, doi:10.1029/2006PA001322.

- 2006

- Backman, J., Moran, K., McInroy, D., Mayer, L.A., and **the Expedition 302 Scientists** (2006). Proc. IODP, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). DOI: 10.2204/iodp.proc.302.2006.
- Blackman, D., Idefonse, B., John, B.E., Ohara, Y., Miller, D.J., MacLeod, C. J., Abe, N., Abratis, M.W., Andal, E.S., Andréani, M., Awaji, S., J.S. Beard, **Brunelli, D.**, et al., 2006. *Proc. IODP, 304/305: College Station TX* (Integrated Ocean Drilling Program Management International, Inc.). doi:10.2204/iodp.proc.304305.2006
- Brinkhuis, H., Schouten, S., Collinson, M.E., Sluijs, A., Sinninghe Damst, J.S., Dickens, G.R., Huber, M., Cronin, T.M., Onodera, J., Takahashi, K., Bujak, J.P., Stein, R., Van Der Burgh, J., Eldrett, J.S., Harding, I.C., Lotter, A.F., Sangiorgi, F., Van Konijnenburg-Van Cittert, H., De Leeuw, J.W., Matthiessen, J., Backman, J., Moran, K., Clemens, S., Eynaud, F., Gattaccea, J., Jakobsson, M., Jordan, R., Kaminki, M., King, J., Koc, N., Martinez, N.C., McInroy D., Moore, T.C., O'Regan, M., Pälike, H., Rea, B., **Rio, D.**, Sakamoto, T., Smith, D.C., John Kek, S.T., Suto, I., Suzuki, N., Watanabe, M., Yamamoto, M., 2006. Episodic fresh surface waters in the Eocene Arctic Ocean. *Nature*, 441: 606-609.
- Crispini, L., Tartarotti, P.**, and Umino, S., 2006. Microstructural features of a subaqueous lava from basaltic crust off the East Pacific Rise (ODP Site 1256, Cocos Plate). *Ophioliti*, Special Issue "Modern and fossil oceanic lithosphere", 31(2): 117-127.
- D'Antonio, M.**, Savov, I.P., **Spadea, P.**, Hickey-Vargas, R., and Lockwood, J., 2006. Petrogenesis of Eocene oceanic basalts from the West Philippine basin and Oligocene arc volcanics from the palau-Kyushu ridge drilled at 20°N, 135°E (Western Pacific Ocean). *Ophioliti*, 31(2): 173-187.
- Diviacco, P. Rebescò M.**, and **Camerlenghi A.** (2006). Late Pliocene mega debris flow deposit and related fluid escapes identified on the Antarctic continental margin by seismic reflection data analysis, *Marine Geophysical Researches* 27: 109-28. DOI: 10.1007/s11001-005-3136-8.
- Domack, E. Amblas, D., Gilbert, R., Brachfeld, S., **Camerlenghi, A., Rebescò, M.**, Canals, M., and Urgeles, R. (2006). Subglacial morphology and glacial evolution of the Palmer deep outlet system, Antarctic Peninsula. *Geomorphology* 75 (1-2): 125-142. DOI: 10.1016/j.geomorph.2004.06.013.
- Expedition 302 Scientists** (2006). Expedition 302 Summary. In: Backman, J., Moran, K., McInroy, D., Mayer, L.A., and the Expedition 302 Scientists (2006). Proc. IODP, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). doi:10.2204/iodp.proc.302.101.2006.
- Expedition 302 Scientists** (2006). Methods. In: Backman, J., Moran, K., McInroy, D., Mayer, L.A., and the Expedition 302

- Scientists (2006). Proc. IODP, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). doi: 10.2204/iodp.proc.302.103.2006.
- Expedition 302 Scientists** (2006). Sites M0001-M0004. In: Backman, J., Moran, K., McInroy, D., Mayer, L.A., and the Expedition 302 Scientists (2006). Proc. IODP, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). doi:10.2204/iodp.proc.302.104.2006.
- Ildefonse, B., Blackman, D., John, B.E. Ohara, Y., Miller, D.J., and the **IODP Expeditions 304 & 305 Scientists**, 2006. Characterize the Lithology, Structure, and Alteration of an Oceanic Core Complex. *Scientific Drilling Journal*, 3: 4-11. doi:10.2204/iodp.sd.3.01.2006 (**Brunelli, D.**).
- Jakobsson, M., Flodén, T., and the **Expedition 302 Scientists** (2006). Expedition 302 geophysics: integrating past data with new results. In: Backman, J., Moran, K., McInroy, D., Mayer, L.A., and the Expedition 302 Scientists, 2006. Proc. IODP, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). DOI: 10.2204/iodp.proc.302.102.2006.
- Kaiho, K., Takeda, K., **Petrizzo, M. R.**, and Zachos, J., 2006. Anomalous shifts in tropical Pacific planktonic and benthic foraminiferal test size during the Paleocene/Eocene thermal maximum. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 237: 456-464.
- Lustrino, M.**, 2006. Composition, petrography and mineral chemistry of ODP Site 1224 Eocene ferrobasalts (Leg 200; North Pacific Ocean). Kasahara, J., Stephen, R.A., Acton, G.D., and Frey, F.A. (Eds.), *Proc. ODP, Sci. Results*, 200. <http://www-odp.tamu.edu/publications/200_SR/008/008.htm>.
- Moore, T.C., and the **Expedition 302 Scientists** (2006). Sedimentation and subsidence history of the Lomonosov Ridge. In: Backman, J., Moran, K., McInroy, D.B., Mayer, L.A., and the Expedition 302 Scientists, *Proc. IODP*, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). [doi:10.2204/iodp.proc.302.105.2006](https://doi.org/10.2204/iodp.proc.302.105.2006).
- Moran, K., Backman, J., Brinkhuis, H., Clemens, S.C., Cronin, T., Dickens, G.R., Eynaud, F., Gattaccea, J., Jakobsson, M., Jordan, R.W., Kaminski, M., King, J., Koc, N., Krylov, A., Martinez, N., Matthiessen, J., McInroy, D., Moore, T.C., Onodera, J., O'Regan, M., Pälike, H., Rea, B., **Rio D.**, et al., 2006. The Cenozoic palaeoenvironment of the Arctic Ocean. *Nature*, 441: 601-605.
- Moran, K., Backman, J., and Farrell, J.W., 2006. Deepwater drilling in the Arctic Ocean's permanent sea ice. In: Backman, J., Moran, K., McInroy, D.B., Mayer, L.A., and the **Expedition 302 Scientists**, *Proc. IODP*, 302: Edinburgh (Integrated Ocean Drilling Program Management International, Inc.). [doi:10.2204/iodp.proc.302.106.2006](https://doi.org/10.2204/iodp.proc.302.106.2006).
- Pagani, M., Pedentchouk N., Huber, M., Sluijs, A., Schouten, S., Brinkhuis, H., Sinninghe Damst, J.S., Dickens, G.R, Backman, J.,

- Clemens, S., Cronin, T., Eynaud, F., Gattacceca, J., Jakobsson, M., Jordan, R., Kaminski, M., King, J., Koc, N., Martinez, N.C., Matthiessen, J., McInroy D., Moore, T.C., Moran, K., O'Regan, M., Onodera, J., Pälike, H., Rea, B., **Rio, D.**, et al., 2006. Arctic hydrology during global warming at the Palaeocene/Eocene thermal maximum. *Nature*, 442: 671-675.
- Petrizzo, M. R.** and Huber, B. T., 2006. Biostratigraphy and taxonomy of Late Albian planktonic foraminifera from ODP Leg 171b (western north Atlantic Ocean). *Journal of Foraminiferal Research*, 36(2): 165-189.
- Petrizzo, M. R.** and Huber, B. T., 2006. On the phylogeny of the late Albian genus Planomalina. *Journal of Foraminiferal Research*, 36(3): 233-240.
- Raffi I.**, Backman J., **Fornaciari E.**, Pälike H., **Rio D.**, Lourens L., Hilgen F. (2006). A review of calcareous nannofossil astrobiochronology encompassing the past 25 million years. *Quaternary Science Review*, 25, 3113-3137
- Rebesco, M.**, Camerlenghi, A., **Geletti, R.**, Canals, M. (2006). Margin architecture reveals the transition to the modern Antarctic Ice Sheet (AIS) at about 3 Ma. *Geology*, 34, No. 4: 301-304.
- Savov, I.P., Hickey-Vargas, R., **D'Antonio M.**, Ryan J.G., **Spadea P.**, 2006. Petrology and geochemistry of West Philippine Basin Basalts and early Palau-Kyushu arc volcanic clasts from ODP Leg 195, Site 1201D: implications for the early history of the Izu-Bonin-Mariana arc. *J. Petrology*, 47(2): 277-299.
- Sluijs, A., Schouten, S., Pagani, M., Woltering, M., Brinkhuis, H., Sinninghe Damst, J.S., Dickens, G.R., Huber, M., Reichart, G.-J., Stein, R., Matthiessen, J., Lourens, L.J., Pedentchouk, N., Backman, J., Moran, K., Clemens, S., Cronin, T., Eynaud, F., Gattacceca, J., Jakobsson, M., Jordan, R., Kaminski, M., King, J., Koc, N., Martinez, N.C., McInroy, D., Moore, T.C., O'Regan, M., Onodera, J., Pälike, H., Rea, B., **Rio, D.**, et al., 2006. Subtropical Arctic Ocean temperatures during the Palaeocene/Eocene thermal maximum. *Nature*, 441: 610-613.
- Sprovieri, R., Di Stefano, E., Incarbona, A.**, and Oppo, D.W., 2006. Suborbital climate variability during Marine Isotopic Stage 5 in the central Mediterranean Basin: evidence from calcareous plankton. *Quaternary Science Reviews*, 25: 2332-2342.
- Tartarotti, P., Crispini, L.**, Einaudi, F., and **Campari, E.**, 2006. Data report: Reoriented structures in the East Pacific Rise basaltic crust from ODP Hole 1256D, Leg 206: integration of core measurements and electrical-acoustic images. In: Teagle, D.A.H., Wilson, D.A., Acton, G.A., and Vanko, D.A. (Eds.), *Proc. ODP, Sci. Results, 206*: College Station, TX (Ocean Drilling Program), 1-26. doi:10.2973/odp.proc.sr.206.004.2006.
- Tartarotti, P., Crispini, L.**, and the IODP Exp 309-312 Shipboard Scientific Party, 2006. ODP-IODP Site 1256 (East Pacific Rise):

an in-situ section of upper oceanic crust formed at a superfast spreading rate. *Ophioliti*, Special Issue “Modern and fossil oceanic lithosphere”, 31(2): 107-116.

Teagle, D.A.H., Alt, J.C., Umino, S., Miyashita, S., Banerjee, N.R., Wilson, D.S., Einaudi, F., Belghoul, A., Cordier, C., **Crispini, L.**, **Galli, L.**, Gao, Y., Geldmacher, J., Gilbert, L.A., Herreo-Bervera, E., Holter, S.A., Laverne, C., Lledo Vasques, H.L., Rodriguez Durand, S., Sakuyama, T., Sano, T., Smith-Duque, C.E., Tominaga, S., **Tartarotti, P.**, et al., 2006. *Proc. IODP, 309/312: Washington, DC (Integrated Ocean Drilling Program Management International, Inc.).*

[doi:10.2204/iodp.proc.309312.2006](https://doi.org/10.2204/iodp.proc.309312.2006)

Tremolada, F., Erba, E., and Bralower T.J., 2006. Late Barremian to Early Aptian calcareous nannofossil paleoceanography and paleoecology from the Ocean Drilling Program Hole 641C (Galicia Margin). *Cretaceous Research*, 27: 887-897.

Vannucchi, P., Fisher, D.M., Bier, S., and Gardner, T.W., 2006. From seamount accretion to tectonic erosion: the formation of Osa Mélange and the effects of Cocos Ridge subduction in Southern Costa Rica. *Tectonics*, Vol. 25, No. 2, TC2004.

Villa, G. and **Persico, D.**, 2006. Late Oligocene climatic changes: Evidence from calcareous nannofossils at Kerguelen Plateau Site 748 (Southern Ocean). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 231 (1-2): 110-119.

Wilson, D.S., Teagle, D. A. H., Alt, J. C. et al., 2006. Drilling to Gabbro in Intact Ocean Crust, *Science* 19 May 2006: 1016-1020. Published online 20 April 2006, doi: 10.1126/science.1126090. (**Tartarotti, P., Crispini, L., Galli, L.**).

Zanetti, A., D'Antonio, M., Spadea, P., Raffone, N., Vannucci, R., Bruegir, O., 2006. Petrogenesis of mantle peridotites from the Izu-Bonin-Mariana (IBM) forearc. *Ophioliti*, 31(2): 183-200.

- 2005

- Backman, J., Moran, K., McInroy, D., and **IODP Leg 302 Expedition Scientists**, 2005. Arctic Coring Expedition (ACEX): Paleoceanographic and tectonic evolution of the central Arctic Ocean. *IODP Prel. Rept.*, 302 (Texas A&M University, College Station, TX). (www.iodp.org).
- Backman, J., Moran, K., and the **IODP Leg 302 Expedition Scientists**, 2005. IODP Leg 302 - Arctic Coring Expedition (ACEX). Polarforskningssekretariats Årsbok 2004.
- Backman, J., Moran, K., McInroy, D., and **the IODP Leg 302 Expedition Scientists**, 2005. IODP Expedition 302, Arctic Coring Expedition (ACEX): A first look at the Cenozoic paleoceanography of the central Arctic Ocean. *Scientific Drilling*, 1: 12-17.
- Ferretti, P., Shackleton, N.J., Hall, M. A. and **Rio, D.**, 2005. Early-Middle Pleistocene deep circulation in the western subtropical Atlantic: southern hemisphere modulation of the North Atlantic Ocean. *Journal of the Geological Society*, 247:131-145.
- Florindo F.**, Roberts A., 2005, Eocene-Oligocene magnetobiochronology of ODP Sites 689 and 690, Maud Rise, Weddell Sea, Antarctica. *Geol. Soc. Am. Bull.*, 117:46-66.
- Grützner, J., Hillenbrand, C.-D., **Rebesco, M.**, 2005, Terrigenous flux and biogenic silica deposition at the Antarctic continental rise during the late Miocene to early Pliocene: implications for ice sheet stability and sea ice coverage. In Florindo, F., Harwood, D.M., and Wilson, G.S. (Eds.), Long-term changes in Southern high-latitude ice sheets and climate, the Cenozoic history. *Global Planet. Change*, 45:131-149.
- Lirer, F., Iaccarino, S.**, 2005, Integrated Stratigraphy (Cyclostratigraphy and Biochronology) of late Middle Miocene deposits in the Mediterranean area and comparison with the North and Equatorial Atlantic Oceans: synthesis of the major results. *Terranova*, 17:338-349.
- Lourens, L.J., Sluijs, A., Kroon, D., Zachos, J.C., Thomas, E., Röhl, U., Bowles, J., **Raffi, I.**, 2005, Astronomical pacing of late Palaeocene to early Eocene global warming events. *Nature*, 435:1083-1087.
- Muttoni, G., Erba E.**, Kent, D.V., Bachtadse V., 2005, Mesozoic alpine facies deposition as a result of past latitudinal plate motion. *Nature* 434:59-63.
- Pälike, H., Moore, T., Backman, J., **Raffi, I., Lanci, L.**, Parés, J.M., Janecek, T., 2005, Integrated Stratigraphic Correlation and Improved Composite Depth Scales for ODP Sites 1218 and 1219. In Wilson, P.A., Lyle, M., and Firth, J.V. (eds.), *Proc. ODP, Sci. Results*, 199: World Wide Web: http://www-odp.tamu.edu/publications/199_SR/213/213.htm.
- Petrizzo, M.R., Premoli Silva, I.,** Ferrari P., 2005, Data report: Paleogene planktonic foraminifer biostratigraphy, ODP Leg 198

Holes 1209A, 1210A, and 1211A (Shatsky Rise, northwest Pacific Ocean). In Bralower T.J., Premoli Silva I., Malone M.J. (eds), Proc ODP Sci Results,198:[Online] World Wide Web: http://www-odp.tamu.edu/publications/198_SR/110/110.htm.

Petrizzo, M.R., 2005, An early Late Paleocene Event on Shatsky Rise, Northwest Pacific Ocean (Ocean Drilling Program Leg 198, Shatsky Rise). In Bralower T.J., Premoli Silva I., Malone M.J. (eds), *Proc.ODP Sci. Results 198* [Online] http://www-odp.tamu.edu/publications/198_SR/102/102.htm.

Premoli Silva, I., Petrizzo, M.R., Melloni, D., 2005, Data report: Planktonic foraminiferal biostratigraphy across the Cretaceous/Paleocene boundary at Shatsky Rise (ODP Leg 198, Northwest Pacific). In Bralower T.J.,Premoli Silva I.,Malone M.J. (eds), *Proc ODP Scientific Results 198*:[Online] World Wide Web: http://www-odp.tamu.edu/publications/198_SR/111/111.htm.

Raffi, I., Backman, J., Pälike, H., 2005, Changes in calcareous nannofossil assemblages across the Paleocene/Eocene transition from the paleo-equatorial Pacific Ocean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 226:93-126.

Teagle, D.A.H., Banerjee, N.R., and the **Expedition 309 Shipboard Scientific Party (Tartarotti, P, and Crispini, L.)**, 2005, The Hard Yards: deep basement drilling of an *in situ* section of oceanic crust formed at a superfast spreading rate. Recent results from IODP Expedition 309 to Hole 1256D, Eastern Equatorial Pacific. *InterRidge News*, 14:8-11.

Tremolada, F., Siesser, W.G., 2005, Paleocene to Miocene nannofossil biostratigraphy from ODP Sites 1203A and 1204A (Detroit Seamount, Northwestern Pacific). In Duncan, R.A., Tarduno, J.A., Davies, T.A., and Scholl, D.W. (Eds.), *Proc. ODP, Sci. Results, 197* [Online]. World Wide Web: http://www-odp.tamu.edu/publications/197_SR/003/003.htm.

Verga, D., Premoli Silva, I., 2005, Early Cretaceous planktonic foraminifera from the Tethys. The Upper Aptian, planispiral morphotypes with elongate chambers. *Cretaceous Research* , 26:239-259.

Villa, G., Palandri, S., Wise, S. W., 2005, Quaternary calcareous nannofossils from Periantarctic basins: Paleoecological and paleoclimatic implications. *Marine Micropaleontology*, 56:103-121.

Zachos, J.C., Röhl, U., Schellenberg, S.A., Sluijs, A., Hodell, D.A., Kelly, D.C., Thomas, E., Nicolo, M., **Raffi, I.**, Lourens, L.J., McCarren, H., Kroon, D., 2005, Rapid Acidification of the Ocean During the Paleocene-Eocene Thermal Maximum. *Science*, 308: 1611-1615.

- 2004

- Bonaccorsi, R.**, 2004. Total organic carbon in red paleosoils and basalts from ODP Leg 197 and their potential use as suitable models for Mars soil analogues. *In* Norris, R. (ed), Bioastronomy 2002: Life Among The Stars, IAU Symposium, vol. 213, 2004.
- Clift, P.D., and **Vannucchi, P.**, 2004. Controls on Tectonic Accretion versus Erosion in Subduction Zones: Implications for the Origin and Recycling of the Continental Crust. *Reviews of Geophysics*, Vol. 42, No 2, RG2001 10.1029/2003RG000127.
- Cortesogno, L., Gaggero, L., Zanetti, A.**, 2004, Rare earth and trace elements in amphiboles of oceanic gabbros (MARK area, Mid-Atlantic ridge) at medium- to low-temperature seafloor alteration. *Ophioliti*, 29(2):107-123.
- Crispini L., Tartarotti, P.**, Umino Susumu, 2004, Ductile and brittle-ductile structures in basalt of the Cocos Plate crust (ODP Leg 206): implications for the emplacement mechanism of lava flows. Abstract, 32nd IGC, Florence, Italy, August 20-28, 2004, p. 758.
- Di Stefano, E.**, Incarbona, A., 2004, High-resolution palaeoenvironmental reconstruction of ODP Hole 963D (Sicily Channel) during the last deglaciation based on calcareous nannofossils. *Marine Micropaleontology*, 52:241-254.
- Einaudi, F., Pézard, P. A., Laverne, C., **Tartarotti, P., Crispini, L.**, 2004, Volcanic structures of fast spreading oceanic crust from downhole measurements and images (ODP Leg 206 - Hole 1256D). Abstract, 32nd IGC, Florence, Italy, August 20-28, 2004, p. 950.
- Erba E., Tremolada F.**, 2004. Nannofossil carbonate fluxes during the Early Cretaceous: Phytoplankton response to nutrification episodes, atmospheric CO₂ and anoxia. *Paleoceanography*, 19, PA1008:1-18.
- Erba, E.**, 2004. Calcareous nannofossils and Mesozoic Oceanic Anoxic Events. *Marine Micropaleontology*, 52:85-106.
- Erba, E.**, Bartolini, A., Larson, R.L., 2004, The Valanginian "Weissert Oceanic Anoxic Event". *Geology*, 32: 149-152.
- Fenner, J., **Di Stefano, A.**, 2004, History of oceanic fronts along the Chatam Rise as indicated by diatoms and calcareous nannofossil and refinement of biostratigraphy for the late Quaternary: results from ODP Leg 181. *Marine Geology*, 205:59-86.
- Guasti, E., **Iaccarino, S.**, Kouwenhoven, T., 2004, Middle Miocene paleoceanography of the Western Equatorial Atlantic Ocean (Leg 154, Site 926): evidence from benthic foraminifera. *In* Coccioni, R., Galeotti, S., and Lirer, F. (eds) *Proceedings of the 1st Italian Meeting of Environmental Micropaleontology*, Grzybowski Foundation Special Publications:49-62.
- Iorio, M.**, Wolf-Welling, T., Moerz, T., 2004, Antarctic sedimentary drifts and Plio-Pleistocene orbital periodicities (ODP Sites 1095,

- 1096 and 1101). In D'Argenio, B., Fisher, A.G., Premoli Silva, I., Weissert, H., and Ferreri, V. (eds), *Cyclostratigraphy. An Essay of Approach and case History*, Society for Sedimentary Geology, SEPM Special Publication, 81:231-244.
- Kuypers, M.M.M., van Breugel Y., Schouten S., **Erba E.**, Sinninghe-Damsté J..S, 2004, N₂-fixing cyanobacteria supplied nutrient N for Cretaceous oceanic anoxic events. *Geology*, 32:853-856.
- Lanci, L.**, Parés, J.M., Channell, J.E.T., Kent, D.V., 2004. Miocene magnetostratigraphy from equatorial Pacific sediments (ODP Site 1218, Leg 199). *Earth Planet. Sci. Lett.*, 226: 207-224.
- Lirer, F., Caruso, A., Foresi, L.M., Iaccarino, S., Iacumin, P.**, 2004, Paleoclimatic changes in the Serravallian record of the Mediterranean area. In Coccioni, R., Galeotti, S., and Lirer, F. (eds) *Proceedings of the 1st Italian Meeting of Environmental Micropaleontology*, Grzybowski Foundation Special Publications: 77-96.
- Maiorano, P., Marino, M., Di Stefano, E.**, Ciaranfi, N., 2004, Calcareous nannofossil events in the Lower-Middle Pleistocene transition at Montalbano Jonico section (Southern Italy) and ODP Site 964 (Ionian Sea), and their calibration with oxygen isotope and sapropel stratigraphy: *Rivista Italiana di Paleontologia e Stratigrafia*, 110:547-557.
- Maltman, A.J., and **Vannucchi, P.**, 2004. Insights from the Ocean Drilling Program on shear and fluid-flow at the mega-faults between actively converging plates. In G.I. Alsop, R.E. Holdsworth, K.J.W. McCaffrey, & M. Hand (Eds.), *Flow Processes in Faults and Shear Zones*, Geological Society of London Special Publication 224:127-140.
- Moore, T.C.jr., Backman, J., **Raffi, I.**, Nigrini, C., Sanfilippo, A., Palike, H., Lyle, M., 2004, Paleogene Tropical Pacific: Clues to Circulation, Productivity and Plate Motion. *Paleoceanography*, 19: 1-16. 19:10.1029/2003PA000998.
- O'Brien, P.E., Cooper, A.K., **Florindo, F.**, Handwereger, D.A., Lavelle, M., Passchier, S., Pospichal, J.J., Quilty, P.G., Richter, C., Theissen, K.M., Whitehead, J.M., 2004, Prydz Channel Fan and the history of extreme ice advances in Prydz Bay. In Cooper, A.K., O'Brien, P.E., and Richter, C. (Eds.), *Proc. ODP, Sci. Results*, 188 [Online]. Available from World Wide Web: http://www-odp.tamu.edu/publications/188_SR/016/016.htm.
- Parés, J.M., **Lanci, L.**, 2004, A complete Middle Eocene-Early Miocene magnetic polarity stratigraphy in Equatorial Pacific sediments (ODP Site 1220). In Channell, J.E.T., Kent, D.V., Lowrie, W., and Meert, J.G. (Eds.), Timescales of the Paleomagnetic Field. Am. Geophys. Union, *Geophys. Monogr.*, 145:131-140.
- Persico, D., Villa, G.**, 2004, Eocene-Oligocene calcareous nannofossils from Maud Rise and Kerguelen Plateau (Antarctica): paleoecological and paleoceanographic implications: *Marine Micropalaeontology*, 52:153-179.

- Schumann, G., Manz, W., Reitner, J., **Lustrino, M.**, 2004, Ancient fungal life in North Pacific Eocene oceanic crust. *Geomicrobiology Journal*, 21:241-246.
- Sprovieri, R., Di Stefano, E.**, Incarbona, A., Gargano, M.E., 2004, High-resolution record of the last deglaciation in the Sicily Channel based on foraminifera and calcareous nannofossil quantitative distribution. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 202: 119-142.
- Tartarotti, P., Crispini, L.**, 2004, Structural features of the superfast-spreading crust: evidence from Site 1256, ODP Leg 206. Abstract, 32nd IGC, Florence, Italy, August 20-28, 2004, p. 1424.
- Tremolada, F.**, Bralower, T.J., 2004, Nannofossil assemblage fluctuations during the Paleocene-Eocene Thermal Maximum at Sites 213 (Indian Ocean) and 401 (North Atlantic Ocean): paleoceanographic implications. *Marine Micropaleontology*, 52:107-116.
- Vannucchi, P., Galeotti, S.**, Clift, P., Ranero, C.R., von Huene, R., 2004. Long Term Subduction Erosion along the Middle America Trench offshore Guatemala. *Geology*, 32(7):617-620.
- Villa, G.**, Lees, J.A., Bown, P.R. (eds), 2004, Calcareous nannoplankton palaeoecology and palaeoceanographic reconstructions. *Marine Micropaleontology*, 52: 1-9.
- Von Huene, R., Ranero, C.R., and **Vannucchi, P.**, 2004. A generic model of subduction erosion. *Geology*, 32(10):913-916.
- Warnke, D.A., Richter, C., **Florindo, F.**, Damuth, J.E., Balsam, W.L., Strand, K., Ruikka, M., Juntila, J., Theissen, K., Quilty, P., 2004, Data report: HiRISC (High-Resolution Integrated Stratigraphy Committee) Pliocene-Pleistocene interval, 0-50 mbsf, at ODP Leg 188 Site 1165, Prydz Bay, Antarctica. In Cooper, A.K., O'Brien, P.E., and Richter, C. (Eds.), *Proc. ODP, Sci. Results, 188* [Online]. Available from World Wide Web: http://www-odp.tamu.edu/publications/188_SR/015/015.htm.
- Weissert, H., **Erba, E.**, 2000, Volcanism, CO₂ and paleoclimate: a Late Jurassic-Early Cretaceous carbon and oxygen isotope record. *Journal of the Geological Society London*, 161:1-8.

- 2003

- Channell, J.E.T., **Galeotti, S.**, Martin, E.E., Billups, K., Scheer, H., and Stoner, J.S., 2003, Eocene to Miocene magnetostratigraphy, biostratigraphy, and chemostratigraphy at ODP Site 1090 (sub-Antarctic South Atlantic): *Geological Society of America Bulletin*, 115:607-625.
- Flores, J.-A., **Marino, M.**, Sierro, F.J., Hodell, D.A., Charles, C.D., 2003, Calcareous plankton dissolution pattern and coccolithophore assemblages during the last 600 kys at ODP Site 1089 (Cape Basin, South Atlantic): Paleoceanographic Implications: *Palaeogeography, Palaeoclimatology, Palaeoecology*, 196:409-426.
- Florindo, F.**, Bohaty, S.M., Erwin, P.S., Richter, C., Roberts, A.P., Whalen, P.A., Whitehead, J.M., 2003, Magnetobiostratigraphic chronology and palaeoenvironmental history of Cenozoic sequences from ODP sites 1165 and 1166, Prydz Bay, Antarctica. In Florindo, F., Cooper, A.K., O'Brien, P.A. (eds.), *Antarctic Cenozoic paleoenvironments: geologic record and models: Palaeogeography, Palaeoclimatology, Palaeoecology*, 198:69-100.
- Florindo, F.**, Cooper, A.K., O'Brien, P.A., (Eds.), 2003. Antarctic Cenozoic paleoenvironments: geologic record and models: Introduction. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 198:1-9.
- Florindo, F.**, Roberts, A.P., Martin, P., 2003, Magnetite dissolution in siliceous sediments. *Geochemist. Geophys. Geosyst.*, 4:doi:10.1029/2003GC000516.
- Giorgetti, A., Crise, A., Laterza, R., Perini,, L., Rebesco, M., and Camerlenghi, A.**, 2003, Water masses and bottom boundary layer dynamics above a sediment drift of the Antarctic Peninsula Pacific margin. *Antarctic Science*, 15(4):537-546.
- Grützner J., **Rebesco M.**, Cooper A. K., Forsberg C.F., Kryc K.A., and Wefer G., 2003. Evidence for orbitally controlled size variations of the East Antarctic Ice Sheet during the late Miocene, *Geology*. 31(9):777-780.
- Lozar, F., Tremolada, F.**, 2003, Calcareous nannofossil biostratigraphy of Cretaceous sediments recovered at ODP Site 1149 (Leg 185, Nadezhda Basin, western Pacific). Proceedings of the Ocean Drilling Program, Scientific Results 185: 1-21. World Wide Web: http://www-odp.tamu.edu/publications/185_SR/VOLUME/CHAPTERS/010.PDF
- Morris, J.D., Villinger, H.W., Klaus, A., Cardace, D.M., Chavagnac, V.M.C., Clift, P.D., Haeckel, M., Hisamitsu, T., Kastner, M., Pfender, M., Saffer, D.M., Santelli, C., Schramm, B., Screamton, E.J., Solomon, E.A., **Vannucchi, P.**, Strasser, M., 2003, Leg 205 Preliminary Report: Fluid Flow and Subduction Fluxes across the Costa Rica Convergent Margin: Implications for the Seismogenic

- Zone and Subduction Factory. Proceedings of the Ocean Drilling Program, Initial Reports, Texas A&M University, 205 [Online]. Available from World Wide Web: http://www-odp.tamu.edu/publications/205_IR/205ir.htm.
- Petrizzo, M.R.**, 2003, Late Cretaceous planktonic foraminiferal Bioevents in the Tethys and in the Southern Ocean Record: an Overview, *Journal of Foraminiferal Research*, 33: 330-337.
- Raffi, I.**, Mozzato, C., **Fornaciari, E.**, Hilgen, F., **Rio, D.**, 2003, Late Miocene calcareous nannofossil biostratigraphy and astrobiogeochronology for the Mediterranean region. *Micropaleontology*, 49: 1-26.
- Rebesco, M.**, 2003. Data report: Numerical evaluation of diffuse spectral reflectance data and correlation with core photos, ODP Site 1165, Wild Drift, Cooperation Sea, Antarctica. In Cooper, A.K., O'Brien, P.E., and Richter, C. (eds.), *Proc. ODP, Sci. Results*, 188 [Online]. World Wide Web: http://www-odp.tamu.edu/publications/188_SR/006/006.htm.
- Roberts, A.P., Bicknell, S.J., Byatt, J., Bohaty, S.M., **Florindo, F.**, Harwood, D.M., 2003, Magnetostratigraphic calibration of Southern Ocean diatom datums from the Eocene - Oligocene of Kerguelen Plateau (Ocean Drilling Program sites 744 and 748). In Florindo, F., Cooper, A.K., and O'Brien, P.A. (eds), Antarctic Cenozoic paleoenvironments: geologic record and models, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 198:145-168.
- Stephen, R.A., Kasahara, J., Acton, G.D., Calhoun, R.S., Haraguchi, S., Hoskins, H., Kittredge, S., **Lustrino, M.**, Manz, W., Nakamura, M., Natland, J.H., Nielsen, I., Paul, H., Schumann-Kindel, G., Sherman, S., Sun, Y.-F., and Wilson, J., 2003, Proc. ODP, Init. Reports, 200. Drilling at the Hawaii-2 Observatory (H2O) and Nuuanu Landslide; covering Leg 200 of the cruises of the drilling vessel JOIDES Resolution; Sites 1223 and 1224. V. 200, p. 72 (on-line www-odp.tamu.edu/publications/200_IR).
- Vannucchi, P.**, Ranero, C.R., **Galeotti, S.**, Straub, S., McDougall-Ried, K., 2003, Fast Rates of subduction erosion along Costa Rica Pacific margin; implications for non-steady rates of crustal recycling at subduction zones. *Journal of Geophysical Research*, 108 (B11):2511, doi:10.1029/2002JB002207.
- Verga, D.**, **Premoli Silva, I.**, 2003, Early Cretaceous planktonic Foraminifera from the Tethys. The small-sized, few-chambered representatives of the genus *Globigerinelloides*; *Cretaceous Research*, 24:305-334.
- Verga, D.**, **Premoli Silva, I.**, 2003, Early Cretaceous planktonic Foraminifera from the Tethys. The large-sized, many-chambered representatives of the genus *Globigerinelloides*: *Cretaceous Research*, 24:661-690.
- Villa, G.**, **Persico, D.**, Bonci M. C., Lucchi R.G., Morigi C. et. al., 2003. Biostratigraphic characterization and Quaternary microfossil palaeoecology in sediment drifts west of the

Antarctic Peninsula – implications for cyclic glacial-interglacial deposition. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 198:237-263.

Volpi, V., Camerlenghi, A., Hillenbrand, C.-D., **Rebesco, M. and Ivaldi, R.**, 2003, Effects of biogenic silica on sediment compaction and slope stability on the Pacific margin of the Antarctic Peninsula. *Basin Research*, 15:339-363.

Wilson, D.S., Teagle, D.A.H., Acton, G.D., **et al. (Tartarotti, P, and Crispini, L.)**, 2003, Proc. ODP, Init. Repts., 206 [Online].

Available from World Wide Web:

<http://wwwodp.tamu.edu/publications/206_IR/206ir.htm>

Zachos, J.C., Wara, M.W., Bohaty, S., Delaney, M.L., Petrizzo, M.R., Brill, A., Bralower, T.J., **Premoli Silva, I.**, 2003, A transient rise in tropical sea surface temperature during the Paleocene-Eocene Thermal Maximum. *Science*, 302: 1551-1554.

PhD Theses

- Boscolo Galazzo F.** (2014) - Global climate change and biota: evidence from foraminifera during the Middle Eocene Climatic Optimum. Univ. degli Studi di padova, PhD thesis.
- Russo F.** (2014) - Calcareous nannofossil revised biostratigraphy of the latest Albian-earliest Campanian time interval (Cretaceous), Univ. degli Studi di Milano, PhD thesis
- Ciummelli M.** (2013) - Morphometry, evolution, biostratigraphy and paleoecology of the genus *Discoaster* in the Miocene using material from Site U1338, IODP Exp. 321. Univ. degli Studi "G. d'Annunzio" di Chieti-Pescara, PhD thesis.
- Falzoni F.** (2012) - Santonian-Campanian planktonic foraminiferal biostratigraphy, taxonomy and isotope paleoecology. Univ. degli Studi di Milano, PhD thesis.
- Toffanin F.** (2012) - Biochronologic and evolutionary study of calcareous nannofossil assemblages during the Middle Eocene Climatic Optimum. Univ. degli Studi di padova, PhD thesis.
- Bottini C.** (2011) - $p\text{CO}_2$ effects on the production of pelagic biogenic carbonate and ocean chemistry: a case history from the Cretaceous ocean, Univ. degli Studi di Milano, PhD thesis.
- Garzarella A.** (2011) - Correlation of the distribution and evolution of calcareous nannofossil taxa to paleoenvironmental changes during the late Paleocene. Univ. degli Studi "G. d'Annunzio" di Chieti-Pescara, PhD thesis.
- Soldan D.M.** (2011) - Revision of Paleocene-Eocene planktic foraminiferal biostratigraphy and evolutionary history of the genus *Igorina* through parsimony analysis. Univ. degli Studi di Milano, PhD thesis.
- Fontana E.** (2009) - Structural characterization of the upper oceanic crust at ODP-IODP Site 1256 (east Pacific Ocean): tectonic and alteration implications. Univ. degli Studi di Milano, PhD thesis.
- Tiraboschi D.** (2009) - Variazioni quantitative del nannoplancton calcareo durante il Cretacico medio: paleoecologia, paleoceanografia e produzione di carbonato in condizioni di anossia globale ed eccesso di $p\text{CO}_2$. Univ. degli Studi di Milano, PhD thesis.
- Tori F.** (2009) - Variabilità climatica e ciclicità nell'intervallo Eocene Oligocene: dati dai nannofossili calcarei. Climatic variability and cyclicity of the Eocene Oligocene interval: data from calcareous nannofossils. Univ. degli Studi di Firenze, PhD Thesis.
- Casellato C.E.** (2008) - Causes and consequences of calcareous nannoplankton evolution in the Late Jurassic: implication for biogeochronology, biocalcification and ocean chemistry. Univ. degli Studi di Milano, PhD thesis.
- Tamagnini P.** (2007) - Characterization of gemmological materials by classical and modern analytical techniques. Univ. Degli Studi

di Milano, PhD thesis.

Tremolada F. (2003) - Extreme past climate: Phytoplankton response to early Aptian and Paleocene/Eocene boundary greenhouse conditions. Univ. degli Studi di Milano, PhD thesis.