

IODP References - Italy – 2010-2016
(Cross-check with the IODP-Publication Database)

- 2016

1. Capotondi, L., Girone, A., Lirer, F., Bergami, C., Verducci, M., Vallefuoco, M., Afferri, A., Ferraro, L., Pelosi, N., de Lange, G. J., 2016. Central Mediterranean mid-Pleistocene paleoclimatic variability and its association with global climate. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **442**, 72-83.
2. Cruciani, F., Barchi, M. R., 2016. The Lamu Basin deepwater fold-and-thrust belt: An example of a margin-scale, gravity-driven thrust belt along the continental passive margin of East Africa. *Tectonics*, **35**, 491–510. doi:10.1002/2015TC003856
3. D'Onofrio, R., Luciani, V., Fornaciari, E., Giusberti, L., Boscolo Galazzo, F., Dallanave, E., Westerhold, T., Sprovieri, M., Telch, S., 2016. Environmental perturbations at the early Eocene ETM2, H2, and I1 events as inferred by Tethyan calcareous plankton (Terche section, northeastern Italy). *Paleoceanography*, **31**, 1225–1247. doi:10.1002/2016PA002940
4. Dubois-Dauphin, Q., Bonneau, L., Colin, C., Montero-Serrano, J.-C., Montagna, P., Blamart, D., Hebbeln, D., Van Rooij, D., Pons-Branchu, E., Hemsing, F., Wefing, A.-M., Frank, N., 2016. South Atlantic intermediate water advances into the North-east Atlantic with reduced Atlantic meridional overturning circulation during the last glacial period. *Geochem. Geophys. Geosyst.*, **17**, 2336–2353. doi:10.1002/2016GC006281
5. Falzoni, F., Petrizzo, M. R., Clarke, L. J., MacLeod, K. G., Jenkyns, H. C., 2016. Long-term Late Cretaceous oxygen- and carbon-isotope trends and planktonic foraminiferal turnover; a new record from the southern midlatitudes. *Geological Society of America Bulletin*, Vol. (Pre-Issue Publication), p.80.
6. Galeotti, S., DeConto, R., Naish, T., Stocchi, P., Florindo, F., Pagani, M., Barrett, P., Bohaty, S. M., Lanci, L., Pollard, D., Sandroni, S., Talarico, F. M., Zachos, J. C., 2016. Antarctic ice sheet variability across the Eocene-Oligocene boundary climate transition. *Science*, **352(6281)**, 76-80.
7. Hernández-Molina, F. J., Wåhlén, A., Bruno, M., Ercilla, G., Llave, E., Serra, N., Rosón, G., Puig, P., Rebesco, M., Van Rooij, D., Roque, D., González-Pola, C., Sánchez, F., Gómez, M., Preu, B., Schwenk, T., Hanebuth, T. J.J., Sánchez Leal, R. F., García-Lafuente, J., Brackenridge, R. E., Juan, C., Stow, D. A. V., Sánchez-González, J. M., 2016. Oceanographic processes and morphosedimentary products along the Iberian margins: A new multidisciplinary approach. *Marine Geology*, **378**, 127–156. <http://dx.doi.org/10.1016/j.margeo.2015.12.008>
8. Kender, S., McClymont, E. L., Elmore, A. C., Emanuele, D., Leng, M. J., Elderfield, H., 2016. Mid Pleistocene foraminiferal mass extinction coupled with phytoplankton evolution. *Nature Communications*, **7**, Article number: 11970 (2016). doi:10.1038/ncomms11970
9. Kuroda, J., F. J., Jiménez-Espejo, T., Nozaki, R., Gennari, S., Lugli, V., Manzi, M., Roveri, R., Flecker, F. J., Sierro, T., Yoshimura, K., Suzuki, N., Ohkouchi, 2016. Miocene to Pleistocene osmium isotopic records of the Mediterranean sediments. *Paleoceanography*, **31**, 148–166. doi:10.1002/2015PA002853
10. Liebrand, D., Beddow, H. M., Lourens, L. J., Pälike, H., Raffi, I., Bohaty, S. M., Hilgen, F. J., Saes, M. J.M., Wilson, P. A., van Dijk, A. E., Hodell, D. A., Kroon, D., Huck, C. E., Batenburg S. J., 2016. Cyclostratigraphy and eccentricity tuning of the early Oligocene through early Miocene (30.1–17.1 Ma): Cibicides mundulusstable oxygen and carbon isotope records from Walvis Ridge Site 1264. *Earth and Planetary Science Letters*, **450**, 392–405. <http://dx.doi.org/10.1016/j.epsl.2016.06.007>
11. Lupi, C., Bordiga, M., Sacchi, R., Galinetto, P., Beaufort, L., Cobianchi, M., 2016. Do sample preparation techniques affect the relative abundance of *Florisphaera profunda*? *Marine Micropaleontology*, **127**, 42–49. <http://dx.doi.org/10.1016/j.marmicro.2016.07.007>
12. Maiorano, P., Girone, A., Marino, M., Kucera, M., Pelosi, N., 2016. Sea surface water variability during the mid-Brunhes inferred from calcareous plankton in the western Mediterranean (ODP Site 975). *Palaeogeography, Palaeoclimatology, Palaeoecology*, **459**, 229-248.
13. Paquet, M., Cannat, M., Brunelli, D., Hamelin, C., Humler, E., 2016. Effect of melt/mantle interactions on MORB chemistry at the easternmost Southwest Indian Ridge (618–678E). *Geochem. Geophys. Geosyst.*, **17**, 4605–4640. doi:10.1002/2016GC006385
14. Sánchez Goñi, M. F., Rodrigues, T., Hodell, D. A., Polanco-Martinez, J. M., Alonso-Garcia, M., Hernández-Almeida, I., Desprat, S., Ferretti, P., 2016. Tropically-driven climate shifts in southwestern Europe during MIS 19, a low eccentricity interglacial. *Earth and Planetary Science Letters*, **448**, 81-93.
15. Savian, J. F., Jovane, L., Giorgioni, M., Iacoviello, F., Rodelli, D., Roberts, A. P., Chang, L., Florindo, F., Sprovieri, M., Adatte, T., Planke, S., Svensen, H., Kuerschner, W., 2016. Environmental magnetic implications of magnetofossil occurrence during the Middle Eocene Climatic Optimum (MECO) in pelagic sediments from the equatorial Indian Ocean. Impact, volcanism, global changes and mass extinctions, edited by Eric Font, Thierry Adatte, Sverre Planke, Henrik Svensen and Wolfram Kuerschner. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **441 (Part 1)**, 212-222.

16. Vannucchi, P., Morgan, J. P., Balestrieri, M. L., 2016. Subduction erosion, and the de-construction of continental crust: The Central America case and its global implications. *Gondwana Research*, **40**, 184–198.
<http://dx.doi.org/10.1016/j.gr.2016.10.001>
17. Vannucchi, P., Morgan, J. P., Silver, E. A., Kluesner, J. W., 2016. *Origin and dynamics of depositional subduction margins. Geochem. Geophys. Geosyst.*, **17**, 1966–1974. doi:10.1002/2016GC006259
18. Villa, V., Pereira, A., Chaussé, C., Nomade, S., Giaccio, B., Limondin-Lozouet, N., Fusco, F., Regattieri, E., Degeai, J.-P., Robert, V., Kuzucuoglu, C., Boschian, G., Agostini, S., Aureli, D., Pagli, M., Bahain, J. J., Nicoud, E., 2016. A MIS 15-MIS 12 record of environmental changes and Lower Palaeolithic occupation from Valle Giumentina, central Italy. *Quaternary Science Reviews*, **151**, 160-184.
<http://dx.doi.org/10.1016/j.quascirev.2016.09.006>

- 2015

1. Bordiga, M., Henderiks, J., Tori, F., Monechi, S., Fenero, R., Legarda-Lisarri, A., Thomas, E., 2015. Microfossil evidence for trophic changes during the Eocene-Oligocene transition in the South Atlantic (ODP Site 1263, Walvis Ridge). *Climate of the Past*, **11**(9), 1249-1270.
2. Boscolo Galazzo, F., Thomas, E., Giusberti, L., 2015. Benthic foraminiferal response to the Middle Eocene Climatic Optimum (MECO) in the South-Eastern Atlantic (ODP Site 1263). *Palaeogeography, Palaeoclimatology, Palaeoecology*, **417**, 432–444. <http://dx.doi.org/10.1016/j.palaeo.2014.10.004>
3. Bose, S., Saha, P., Mori, J. J., Rowe, C., Ujiiie, K., Chester, F. M., Conin, M., Regalla, C., Kameda, J., Toy, V., Kirkpatrick, J., Remitti, F., Casey Moore, J., Wolfson-Schwehr, M., Nakamura, Y., Gupta, A., 2015. Deformation structures in the frontal prism near the Japan Trench: Insights from sandbox models. *Journal of Geodynamics*, **89**, 29–38. <http://dx.doi.org/10.1016/j.jog.2015.06.002>
4. Bottini, C., Erba, E., Tiraboschi, D., Jenkyns, H. C., Schouten, S., Sinninghe Damsté, Jaap S., 2015. Climate variability and ocean fertility during the Aptian Stage. *Climate of the Past*, **11**(3), 383-402.
5. Brandano, M., Lustrino, M., Cornacchia, I., Sprovieri, M., 2015. Global and regional factors responsible for the drowning of the Central Apennine Chattian carbonate platforms. *Geological Journal*, **50**(5), 575-591.
6. Cobianchi, M., Mancin, N., Lupi, C., Bordiga, M., Bostock, H. C., 2015. Effects of oceanic circulation and volcanic ash-fall on calcite dissolution in bathyal sediments from the SW Pacific Ocean over the last 550 ka. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **429**, 72-82.
7. Di Stefano, A., Baldassini, N., Alberico, I., 2015. Surface-water conditions in the Mediterranean Basin during earliest Pliocene as revealed by calcareous nannofossil assemblages: Comparison between western and eastern sectors. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **440**, 283–296. <http://dx.doi.org/10.1016/j.palaeo.2015.09.012>
8. Emanuele, D., Ferretti, P., Palumbo, E., Amore, F.O., 2015. Sea-surface dynamics and palaeoenvironmental changes in the North Atlantic Ocean (IODP Site U1313) during Marine Isotope Stage 19 inferred from coccolithophore assemblages. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **430**, 104–117. <http://dx.doi.org/10.1016/j.palaeo.2015.04.014>
9. Erba, E., Duncan, R. A., Bottini, C., Tiraboschi, D., Weissert, H., Jenkyns, H. C., Malinverno, A., Sager, W. W., Sano, T., 2015. Environmental consequences of Ontong Java Plateau and Kerguelan Plateau volcanism. The origin, evolution and environmental impact of oceanic large igneous provinces, edited by Clive R. Neal, William W. Sager, Takashi Sano and Elisabetta Erba. Special Paper - *Geological Society of America*, **511**, 271-303.
10. Ferretti, P., Crowhurst, S. J., A. Naafs, B. D., Barbante, C., 2015. The Marine Isotope Stage 19 in the mid-latitude North Atlantic Ocean: astronomical signature and intra-interglacial variability. *Quaternary Science Reviews*, **108**, 95-110. <http://dx.doi.org/10.1016/j.quascirev.2014.10.024>
11. Fioroni, C., Villa, G., Persico, D., Jovane, L., 2015. Middle Eocene-Lower Oligocene calcareous nannofossil biostratigraphy and paleoceanographic implications from Site 711 (equatorial Indian Ocean). *Marine Micropaleontology*, **118**, 50–62. <http://dx.doi.org/10.1016/j.marmicro.2015.06.001>
12. Florindo, F., Gennari, R., Persico, D., Turco, E., Villa, G., Lurcock, P. C., Roberts, A. P., Winkler, A., Carter, L., Pekar, S. F., 2015. New magnetobiostratigraphic chronology and paleoceanographic changes across the Oligocene-Miocene boundary at DSDP Site 516 (Rio Grande Rise, SW Atlantic). *Paleoceanography*, **30**, 659–681. [doi:10.1002/2014PA002734](https://doi.org/10.1002/2014PA002734)
13. Fontana, E., 2015. Tectonic analysis and paleo-stress determination of the upper lava section at ODP/IODP site 1256 (East Pacific Ocean). *Journal of Structural Geology*, **78**, 103-118. <http://dx.doi.org/10.1016/j.jsg.2015.07.004>
14. Giorgioni, M., Weissert, H., Bernasconi, S. M., Hochuli, P. A., Keller, C. E., Coccioni, R., Petrizzo, M. R., Lukeneder, A., Garcia, T. I., 2015. Paleoceanographic changes during the Albian-Cenomanian in the Tethys and North Atlantic and the onset of the Cretaceous chalk. *Global and Planetary Change*, **126**, 46–61. <http://dx.doi.org/10.1016/j.gloplacha.2015.01.005>
15. Kirkpatrick, J. D., Rowe, C. D., Ujiiie, K., Moore, J. C., Regalla, C., Remitti, F., Toy, V., Wolfson-Schwehr, M., Kameda, J., Bose, S., Chester, F. M., 2015. Structure and lithology of the Japan Trench subduction plate boundary fault. *Tectonics*, **34**(1), 53-69.
16. Lübke, N., Mutterlose, J., Bottini, C., 2015. Size variations of coccoliths in Cretaceous oceans; a result of preservation, genetics and ecology? *Marine Micropaleontology*, **117**, 25-39.
17. Lugli, S., Manzi, V., Roveri, M., Schreiber, B. C., 2015. The deep record of the Messinian salinity crisis: Evidence of a non-desiccated Mediterranean Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **433**, 201–218. <http://dx.doi.org/10.1016/j.palaeo.2015.05.017>
18. Maiorano, P., Marino, M., Balestra, B., Flores, J.-A., Hodell, D.A., Rodrigues, T., 2015. Coccolithophore variability from the Shackleton Site (IODP Site U1385) through MIS 16-10. *Global and Planetary Change*, **133**, 35–48. <http://dx.doi.org/10.1016/j.gloplacha.2015.07.009>

19. Petrizzo, M. R., Caron, M., Premoli Silva, I., 2015. Remarks on the identification of the Albian/Cenomanian boundary and taxonomic clarification of the planktonic Foraminifera index species Globotruncanoides, Brotzeni and Tehamaensis. *Geological Magazine*, **152**(3), 521-536.
20. Rabineau, M., Cloetingh, S., Kuroda, J., Aslanian, D., Droxler, A., Gorini, C., Garcia-Castellanos, D., Moscariello, A., Burov, E., Sierro, F., Lirer, F., Roure, F., Pezard, P.A., Matenco, L., Hello, Y., Mart, Y., Camerlenghi, A., Tripati, A., and the GOLD# and DREAM# Working Groups, 2015. Probing connections between deep earth and surface processes in a land-locked ocean basin transformed into a giant saline basin: The Mediterranean GOLD project#. *Marine and Petroleum Geology*, **66**, 6-17. <http://dx.doi.org/10.1016/j.marpetgeo.2015.03.018>
21. Sabatino, N., Coccioni, R., Salvagio Manta, D., Baudin, F., Vallefuoco, M., Traina, A., Sprovieri, M., 2015. High-resolution chemostratigraphy of the late Aptian-early Albian oceanic anoxic event (OAE 1b) from the Poggio le Guaine section (Umbria-Marche Basin, central Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology*, **426**, 319-333.
22. Teitler, L., Florindo, F., Warnke, D. A., Filippelli, G. M., Kupp, G., Taylor, B., 2015. Antarctic Ice Sheet response to a long warm interval across Marine Isotope Stage 31: Across-latitudinal study of iceberg-rafted debris. *Earth and Planetary Science Letters*, **409**, 109–119. <http://dx.doi.org/10.1016/j.epsl.2014.10.037>
23. van Baak, C. G. C., Radionova, E. P., Golovina, L. A., Raffi, I., Kuiper, K. F., Vasiliev, I., Krijgsman, W., 2015. Messinian events in the Black Sea. *Terra Nova*, **27**(6), 433-441.

- 2014

1. Bordiga, M., Cobianchi, M., Lupi, C., Pelosi, N., Venti, N. L., Ziveri, P., 2014. Coccolithophore carbonate during the last 450 ka in the NW Pacific Ocean (ODP Site 1209B, Shatsky Rise). *Journal of Quaternary Science*, **29(1)**, 57-69.
2. Boscolo Galazzo, F., Thomas, E., Pagani, M., Warren, C., Luciani, V., Giusberti, L., 2014. The Middle Eocene Climatic Optimum (MECO); a multiproxy record of paleoceanographic changes in the Southeast Atlantic (ODP Site 1263, Walvis Ridge). *Paleoceanography*, **29(12)**, 1143-1161.
3. Bottini, C., Erba, E., Tiraboschi, D., Jenkyns, H.C., Schouten, S., Sinninghe, D. J. S., 2014. Climate variability and relationship with ocean fertility during the Aptian Stage. *Climate of the Past - Discuss.*, **10**, 1–50. doi:10.5194/cpd-10-1-2014
4. Channell, J.E.T., Lanci, L., 2014. Oligocene–Miocene relative (geomagnetic) paleointensity correlated from the equatorial Pacific (IODP Site U1334 and ODP Site 1218) to the South Atlantic (ODP Site 1090). *Earth and Planetary Science Letters*, **387**, 77-88.
5. Coccioni, Rodolfo, Sabatino, Nadia, Frontalini, Fabrizio, Gardin, Silvia, Sideri, Marianna, Sprovieri, Mario, 2014. The neglected history of Oceanic Anoxic Event 1b; insights and new data from the Poggio le Guaine section (Umbria-Marche Basin). *Stratigraphy*, **11(3-4)**, 245-282.
6. Di Stefano, E., Caracausi, S., Incarbona, A., Ferraro, S., Velardi, S., 2014. Size variations in the genus *Gephyrocapsa* during the early Pleistocene in the eastern Mediterranean. *Italian Journal of Geosciences*, **133(3)**, .474-480.
7. Dinarès-Turell, J., Westerhold, T., Pujalte, V., Röhl, U., Kroon, D., 2014. Astronomical calibration of the Danian stage (Early Paleocene) revisited: Settling chronologies of sedimentary records across the Atlantic and Pacific Oceans. *Earth and Planetary Science Letters*, **405**, 119-131.
8. Falzoni, F., Petrizzo, M. R., Huber, B. T., Macleod, K. G., 2014. Insights into the meridional ornamentation of the planktonic foraminiferal genus *Rugoglobigerina* (Late Cretaceous) and implications for taxonomy. *Cretaceous Research*, **47**, 87-104.
9. Harvey, J., Savov, I. P., Agostini, S., Cliff, R.A., Walshaw, R., 2014. Si-metasomatism in serpentinitized peridotite: The effects of talc-alteration on strontium and boron isotopes in abyssal serpentinites from Hole 1268a, ODP Leg 209. *Geochimica et Cosmochimica Acta*, **126**, 30-48.
10. Huber, B.T., Petrizzo, M.R., 2014. Evolution and taxonomic study of the Cretaceous planktonic foraminifer genus *Helvetoglobotruncana* Reiss, 1957. *Journal of Foraminiferal Research*, **44**, 40-57.
11. Insinga, D.D., Tamburino, S., Lirer, F., Vezzoli, L., Barra, M., De Lange, G.J., Tiepolo, M., Vallefuoco, M., Mazzola, S., Sprovieri, M., 2014. Tephrochronology of the astronomically-tuned KC01B deep-sea core, Ionian Sea: insights into the explosive activity of the Central Mediterranean area during the last 200 ka. *Quaternary Science Reviews*, **85**, 63-84.
12. Llopis, J., Camerlenghi, A., Lucchi, R. G., Rebesco, M., Pedrosa, M. T., Behrmann, J.-H., Völker, D., Stipp, M.I., Berndt, C., Urgeles, R., Chaytor, J., Huhn, K., Strasser, M., Harbitz, C. B., 2014. Slope instability of glaciated continental margins; constraints from permeability-compressibility tests and hydrogeological modeling off Storfjorden, NW Barents Sea. *Advances in Natural and Technological Hazards Research*, **37**, 95-104; 6th international symposium on Submarine mass movements and their consequences, Kiel, Germany, Sept. 23-25, 2013, edited by Sebastian Krastel, Jan-Hinrich Behrmann, David Völker, Michael Stipp, Christian Berndt, Roger Urgeles, Jason Chaytor, Katrin Huhn, Michael Strasser and Carl Bonnevie Harbitz. Publisher: Springer, Dordrecht, Netherlands. ISSN: 1878-9897. ISBN: 978-3-319-00971-1
13. Luciani, V., Giusberti, L., 2014. Reassessment of the early-middle Eocene planktic foraminiferal biomagnetochronology; new evidence from the Tethyan Possagno section (NE Italy) and western North Atlantic Ocean ODP Site 1051. *Journal of Foraminiferal Research*, **44(2)**, 187-201.
14. Marino, M., Maiorano, P., Tarantino, F., Voelker, A., Capotondi, L., Girone, A., Lirer, F., Flores, J.-A., Naafs, B. D. A., 2014. Coccolithophores as proxy of seawater changes at orbital-to-millennial scale during middle Pleistocene Marine Isotope Stages 14-9 in North Atlantic core MD01-2446. *Paleoceanography*, **29(6)**, p.518-532.
15. Pälike, H., Lyle, M.W., Nishi, H., Raffi, I., 2014. Chapter 3.4 - The Pacific Equatorial Age Transect: Cenozoic Ocean and Climate History (Integrated Ocean Drilling Program Expeditions 320 & 321). *Developments in Marine Geology*, **7**, 329-357.
16. Pälike, H., Lyle, M. W., Nishi, H., Raffi, I., Blackman, D. K., Inagaki, F., Larsen, H.-C., 2014. The Pacific Equatorial Age Transect; Cenozoic ocean and climate history (Integrated Ocean Drilling Program Expeditions 320 and 321). Earth and life processes discovered from subseafloor environments; a decade of science achieved by the Integrated Ocean Drilling Program (IODP), edited by Ruediger Stein, Donna K. Blackman, Fumio Inagaki and Hans-Christian Larsen. *Developments in Marine Geology*, **7**, 329-357.

17. Panieri, G., Aharon, P., Sen Gupta, B. K., Camerlenghi, A., Palmer Ferrer, F., Cacho, I., 2014. Late Holocene foraminifera of Blake Ridge diapir: Assemblage variation and stable-isotope record in gas-hydrate bearing sediments. *Marine Geology*, **353**, 99-107.
18. Paquay, F. S., Ravizza, G., Coccioni, R., 2014. The influence of extraterrestrial material on the late Eocene marine Os isotope record. *Geochimica et Cosmochimica Acta*, **144**, 238-257.
19. Persico, D., Villa, G., Ladner, B., 2014. Size variations of *Reticulofenestra oamaruensis* (Deflandre in Deflandre & Fert, 1954) Stradner in Haq, 1968, emended. *Revue de Micropaléontologie*, **57**(1), 15-21.
20. Quaijtaal, W., Donders, T. H., Persico, D., Louwye, S., 2014. Characterising the middle Miocene Mi-events in the Eastern North Atlantic realm: A first high-resolution marine palynological record from the Porcupine Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **399**, 140-159.
21. Rebesco, M., Laberg, J.S., Pedrosa, M.T., Camerlenghi, A., Lucchi, R.G., Zgur, F., Wardell, N., 2014. Onset and growth of Trough-Mouth Fans on the North-Western Barents Sea margin – implications for the evolution of the Barents Sea/Svalbard Ice Sheet. *Quaternary Science Reviews*, **92**, 227-234.
22. Rebesco, M., Hernández-Molina, F.J., Van Rooij, D., Wählén, A., 2014. Contourites and associated sediments controlled by deep-water circulation processes: state-of-the-art and future considerations. *Marine Geology*, **352**, 111-154.
23. Roveri, M., Lugli S., Manzi, V., Gennari, R., Schreiber, B.C., 2014. High-resolution strontium isotope stratigraphy of the Messinian deep Mediterranean basins: Implications for marginal to central basins correlation. *Marine Geology*, **349**, 113-125.
24. Roveri, M., Manzi, V., Bergamasco, A., Falcieri, F. M., Gennari, R., Lugli, S., Schreiber, B. C., 2014. Dense shelf water cascading and Messinian canyons; a new scenario for the Mediterranean salinity crisis. *American Journal of Science*, **314**(3), 751-784.
25. Savian, J.F., Jovane, L., Frontalini, F., Trindade, R. I.F., Coccioni, R., Bohaty, S. M., Wilson, P. A., Florindo, F., Roberts, A.P., Catanzariti, R., Iacoviello, F., 2014. Enhanced primary productivity and magnetotactic bacterial production in response to middle Eocene warming in the Neo-Tethys Ocean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **414**, 32-45.
26. Sauli, C., Busetti, M., De Santis, L., Wardell, N., 2014. Late Neogene geomorphological and glacial reconstruction of the northern Victoria Land coast, western Ross Sea (Antarctica). *Marine Geology*, **655**, 297-309.
27. Soldan, D.M., Petrizzo, M.R., Premoli Silva, I., 2014. Pearsonites nov. gen. a new Paleogene planktic foraminifera genus name for the broedermannii lineage. *Journal of Foraminiferal Research*, **44** (1), 17-27.
28. Villa, G., Fioroni, C., Persico, D., Roberts, A.P., Florindo, F., 2014. Middle Eocene to Late Oligocene Antarctic Glaciation/Deglaciation and Southern Ocean productivity. *Paleoceanography*, **29**(3), 223-237. DOI: [10.1002/2013PA002518](https://doi.org/10.1002/2013PA002518)
29. Wall-Palmer, D., Smart, C. W., Hart, M. B., Leng, M. J., Borghini, M., Manini, E., Aliani, S., Conversi, A., 2014. Late Pleistocene pteropods, heteropods and planktonic Foraminifera from the Caribbean Sea, Mediterranean Sea and Indian Ocean. *Micropaleontology*, **60**(6), 557-578.
30. Zucali, M., Fontana, E., Panseri, M., Tartarotti, P., Capelli, S., Ouladdiaf, B., 2014. Submarine lava flow direction revealed by neutron diffraction analysis in mineral lattice orientation. *Geochem. Geophys. Geosyst.* **15**(3), 765-780, DOI: [10.1002/2013GC005044](https://doi.org/10.1002/2013GC005044)

- 2013

1. Backman, J., Raffi I., Ciummelli, M., Baldauf, J., 2013. Species-specific responses of late Miocene *Discoaster* spp. to enhanced biosilica productivity conditions in the equatorial Pacific and the Mediterranean. *Geo-Marine Letters*, **33**, 285-298. [DOI 10.1007/s00367-013-0328-0](https://doi.org/10.1007/s00367-013-0328-0)
2. Boschetti, T., Manzi, V., Toscani, L., 2013. Messinian Ca-Cl brines from Mediterranean basins; tracing diagenetic effects by Ca/Mg versus Ca/Sr diagram. *Aquatic Geochemistry*, **19**(3), 195-208.
3. Bordiga, M., Beaufort, L., Cobianchi, M., Lupi, C., Mancin, N., Luciani, V., Pelosi, N., Sprovieri, M., 2013. Calcareous plankton and geochemistry from the ODP Site 1209B in the NW Pacific Ocean (Shatsky Rise); new data to interpret calcite dissolution and paleoproductivity changes of the last 450 ka. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **371**, 93-108.
4. Chang, L., Winklhofer, M., Roberts, A. P., Heslop, D., Florindo, F., Dekkers, M. J., Krijgsman, W., Kodama, K., Yamamoto, Y., 2013. Low-temperature magnetic properties of pelagic carbonates; oxidation of biogenic magnetite and identification of magnetosome chains. *Journal of Geophysical Research: Solid Earth*, **118**(12), 6049-6065.
5. Chester, F. M., Rowe, C., Ujiie, K., Kirkpatrick, J., Regalla, C., Remitti, F., Moore, J. C., Toy, V., Wolfson-Schwehr, M., Bose, S., Kameda, J., Mori, J. J., Brodsky, E. E., Eguchi, N., Toczko, S., 2013. Structure and composition of the plate-boundary slip zone for the 2011 Tohoku-Oki earthquake. *Science*, **342**(6163), 1208-1211.
6. Ciummelli, M., Raffi I., 2013. New data on the stratigraphic distribution of the nannofossil genus *Catinaster* and on evolutionary relationships among its species. *Journ. Micropaleont.*, **32**, 197-205. [Doi: 10.1144/jmpaleo2013-002](https://doi.org/10.1144/jmpaleo2013-002)
7. Fontana, E., Tartarotti, P., 2013. Structural and petrophysical characterization of the upper basement crustal section at ODP/IODP site 1256 (East Pacific Ocean). *Geochemistry, Geophysics, Geosystem*, **14**(7), 2399-2431. [DOI: 10.1002/ggge.20161](https://doi.org/10.1002/ggge.20161)
8. Falzoni, F., Petrizzo, M. R., Macleod, K. G., Huber, B. T., 2013. Santonian-Campanian planktonic foraminifera from Tanzania, Shatsky Rise and Exmouth Plateau: Species depth ecology and paleoceanographic inferences. *Marine Micropaleontology*, **103**, 15-29.
9. Florindo, F., Farmer, R. K., Harwood, D. M., Cody, R. D., Levy, R., Bohaty, S. M., Carter, L., Winkler, A., , Roberts, A. P., 2013. Paleomagnetism and biostratigraphy of sediments from Southern Ocean ODP Site 744 (southern Kerguelen Plateau); implications for early-to-middle Miocene climate in Antarctica. Magnetic iron minerals in sediments and their relation to geologic processes, climate, and the geomagnetic field, edited by Ramon Egli, Fabio Florindo and Andrew P. Roberts. *Global and Planetary Change*, **110** (PART C), 434-454.
10. Girone, A., Maiorano, P., Marino, M., Kucera, M., 2013. Calcareous plankton response to orbital and millennial-scale climate changes across the Middle Pleistocene in the western Mediterranean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **392**, 105-116.
11. Kendrick, M. A., Honda, M., Pettke, T., Scambelluri, M., Phillips, D., Giuliani, A., 2012. Subduction zone fluxes of halogens and noble gases in seafloor and forearc serpentinites. *Earth and Planetary Science Letters*, **365**, 86-96.
12. Incarbona, A., Sprovieri, M., Di Stefano, A., Di Stefano, E., Salvagio Manta, D., Pelosi, N., Ribera d'Alcalà, M., Sprovieri, R., Ziveri, P., 2013. Productivity modes in the Mediterranean Sea during Dansgaard-Oeschger (20,000-70,000 yr ago) oscillations. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **392**, 128-137.
13. Maiorano, P., Tarantino, F., Marino, M., Girone, A., 2013. A paleoecological and paleobiogeographic evaluation of *Helicosphaera inversa* (Gartner) Theodoridis and the diachrony of its First Occurrence. *Marine Micropaleontology*, **104**, 14–24. [10.1016/j.marmicro.2013.08.001](https://doi.org/10.1016/j.marmicro.2013.08.001)
14. Mancin, N., Hayward, B. W., Trattenero, I., Cobianchi, M., Lupi, C., 2013. Can the morphology of deep-sea benthic Foraminifera reveal what caused their extinction during the mid-Pleistocene climate transition? *Marine Micropaleontology*, **104**, 53-70.
15. Martindale, M., Skora, S., Pickles, J., Elliott, T., Blundy, J., Avanzinelli, R., 2013. High pressure phase relations of subducted volcaniclastic sediments from the West Pacific and their implications for the geochemistry of Mariana Arc magmas. *Chemical Geology*, **342**, 94-109.
16. Mathiot, P., Goosse, H., Crosta, X., Stenni, B., Braida, M., Renssen, H., van Meerbeeck, C. J., Masson-Delmotte, V., Mairesse, A., Dubinkina, S., 2013. Using data assimilation to investigate the causes of Southern Hemisphere high latitude cooling from 10 to 8 ka BP. *Climate of the Past*, **9**(2), 887-901.
17. Monechi, Simonetta, Reale, Viviana, Bernaola, Gilen, Balestra, Barbara, 2013. The Danian/Selandian boundary at Site 1262 (South Atlantic) and in the Tethyan region; biomagnetostratigraphy, evolutionary trends in fasciculoliths and environmental effects of the latest Danian event. *Marine Micropaleontology*, **98**, 28-40.

18. Persico, D., Villa, G., 2013. A new Oligocene-Miocene calcareous nannofossil species; *Pontosphaera wallacei*. *Revue de Micropaléontologie*, **56(3)**, 97-102.
19. Rebesco, M., Laberg, J.S., Pedrosa, M.T., Camerlenghi, A., Lucchi, R.G., Zgur, F., Wardell, N., 2013. Onset and growth of Trough-Mouth Fans on the North-Western Barents Sea margin – implications for the evolution of the Barents Sea/Svalbard Ice Sheet. *Quaternary Science Review*, **92**, 227-234.
20. Rebesco, M., Wählén, A., Laberg, J.S., Schauer, A., Brezcynska-Möller, A., Lucchi, R.G., Noormets, R., Accettella, D., Zarayskaya, Y., Diviacco, P., 2013. Quaternary contourite drifts of the Western Spitsbergen margin. *Deep-Sea Research Part I*, **79**, 156–168.
21. Roberts, A. P., Florindo, F., Chang, L., Heslop, D., Jovane, L., Larrasoña, J. C., 2012. Magnetic properties of pelagic marine carbonates. *Earth-Science Reviews*, **127**, 111-139.
22. Rousselle, G., Beltran C., Sicre, M-A., Raffi, I., De Rafélis, M., 2013. Changes in sea-surface conditions in the Equatorial Pacific during the middle Miocene-Pliocene as inferred from coccolith geochemistry. *Earth and Planetary Science Letters*, **361**, 412-421.
23. Rowe, C. D., Moore, J. C., Remitti, F., 2013. The thickness of subduction plate boundary faults from the seafloor into the seismogenic zone. *Geology*, **41(9)**, 991-994.
24. Soldan, D.M, Petrizzo, M.R., 2013. A new planktonic foraminifera species (*Igorina isabellae* n. sp.) from the late Paleocene of the Pacific Ocean. *Bollettino della Società Paleontologica Italiana*, **52 (2)**, 141-143.
25. Stocchi, P., Escutia, C., Houben, A. J. P., Vermeersen, B. L. A., Bijl, P. K., Brinkhuis, H., DeConto, R. M., Galeotti, S.e, Passchier, S., Pollard, D., Klaus, A., Fehr, A., Williams, T., Bendle, J. A. P., Bohaty, S. M., Carr, S. A., Dunbar, R. B., Flores, J. A., González, J. J., Hayden, Travis G., Iwai, M., Jimenez-Espejo, F. J., Katsuki, K., Kong, G. S., McKay, R. M., Nakai, M., Olney, M. P., Passchier, S., Pekar, S. F., Pross, J., Riesselman, C., Röhl, Ur., Sakai, T., Shrivastava, P. K., Stickley, C. E., Sugisaki, S., Tauxe, L., Tuo, S., van de Flierdt, T., Welsh, K., Yamane, M., 2013. Relative sea-level rise around East Antarctica during Oligocene glaciation. *Nature Geoscience*, **6(5)**, 380-384.
26. Toffanin, F., Agnini, C., Rio, D., Acton, G., Westerhold, T., 2013. Middle Eocene to early Oligocene calcareous nannofossil biostratigraphy at IODP Site U1333 (equatorial Pacific). *Micropaleontology*, **59(1)**, 1-14.

- 2012

1. Backman, J., Raffi, I., Rio, D., Fornaciari, E., Pälike, H., 2012. Biozonation and biochronology of Miocene through Pleistocene calcareous nannofossils from low and middle latitudes. *Newsletters on Stratigraphy*, **45**, 221-244. doi: [10.1127/0078-0421/2012/0022](https://doi.org/10.1127/0078-0421/2012/0022)
2. Bart, P.J., De Santis, L., 2012. Glacial intensification during the Neogene: A review of seismic stratigraphic evidence from the Ross Sea, Antarctica, continental shelf. *Oceanography*, **25**(3), 166–183.
3. Bart, P. J., Iwai, M., Florindo, F., Bentley, M. J., DeConto, R. M., 2012. The overdeepening hypothesis; how erosional modification of the marine-scape during the early Pliocene altered glacial dynamics on the Antarctic Peninsula's Pacific margin. Cenozoic evolution of Antarctic climates, oceans and ice sheets, edited by Carlota Escutia, Fabio Florindo, Michael J. Bentley and Robert M. DeConto. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **335-336**, 42-51.
4. Bottini, C., Cohen, A.S., Erba, E., Jenkyns, H.C., Coe, A.L., 2012. Osmium-isotope evidence for volcanism, weathering, and ocean mixing during the early Aptian OAE 1a. *Geology*, **40**(7), 583-586. DOI: [10.1130/G33140.1](https://doi.org/10.1130/G33140.1)
5. Cita, M. B., Gibbard, P. L., Head, M. J., 2012. Formal ratification of the GSSP for the base of the Calabrian stage (second stage of the Pleistocene series, Quaternary system). *Episodes*, **35**(3), 388-397.
6. Colleoni, F., Masina, S., Negri, A., Marzocchi, A., 2012. Plio-Pleistocene high-low latitude climate interplay; a Mediterranean point of view. *Earth and Planetary Science Letters*, **319-320**, 35-44.
7. Dallanave, E., Muttoni, G., Agnini, C., Tauxe, L., Rio, D., 2012. Is there a normal magnetic-polarity event during the Palaeocene-Eocene Thermal Maximum (~55 Ma)? Insights from the palaeomagnetic record of the Belluno Basin (Italy). *Geophysical Journal International*, **191**(2), 517-529.
8. Dinares-Turell, J., Pujalte, V., Stoykova, K., Baceta, J. I., Ivanov, M., 2012. The Palaeocene "top chron C27n" transient greenhouse episode; evidence from marine pelagic Atlantic and peri-Tethyan sections. *Terra Nova*, **24**(6), 477-486.
9. Farley, K. A., Montanari, A., Coccioni, R., 2012. A record of the extraterrestrial >3^{He} flux through the Late Cretaceous. *Geochimica et Cosmochimica Acta*, **84**, 314-328.
10. Fioroni, C., Villa, G., Persico, D., Wise, S.W., Pea, L., 2012. Revised Middle Eocene-Upper Oligocene Calcareous Nannofossil Biozonation for the Southern Ocean. *Revue de Micropaléontologie*, **55**(2), 53-79.
11. Houben, A. J. P., van Mourik, C. A., Montanari, A., Coccioni, R., Brinkhuis, H., Florindo, F., Bentley, M. J., DeConto, R. M., 2012. The Eocene-Oligocene transition; changes in sea level, temperature or both? Cenozoic evolution of Antarctic climates, oceans and ice sheets, edited by Carlota Escutia, Fabio Florindo, Michael J. Bentley and Robert M. DeConto. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **335-336**, 75-83.
12. Husson, D., Galbrun, B., Thibault, N., Gardin, S., Huret, E., Coccioni, R., 2012. Astronomical duration of polarity Chron C31r (lower Maastrichtian); cyclostratigraphy of ODP Site 762 (Indian Ocean) and the Contessa highway section (Gubbio, Italy). *Geological Magazine*, **149**(2), 345-351.
13. Lupi, C., Manuela, B., Miriam, C., 2012. Gephyrocapsa occurrence during the middle Pleistocene transition in the northern Pacific Ocean (Shatsky Rise). *Geobios*, **45**(2), 209-217.
14. Monechi, S., Reale, V., Bernaola, G., Balestra, B., 2012. Taxonomic review of early Paleocene fasciculiths. *Micropaleontology*, **58** (4), 351-366.
15. Monechi, S., Reale, V., Bernaola, G., Balestra, B., 2012. The Danian/Selandian boundary at Site 1262 (South Atlantic) and in the Tethian region: Biomagnetostratigraphy, evolutionary trends in fasciculiths and environmental effects of the Latest Danian Event. *Marine Micropaleontology*, **98**, 28-40.
16. Pabst, S., Zack, T., Savov, I. P., Ludwig, T., Rost, D., Tonarini, S., Vicenzi, E. P., 2012. The fate of subducted oceanic slabs in the shallow mantle; insights from boron isotopes and light element composition of metasomatized blueschists from the Mariana Fore-arc. *Lithos*, **132-133**, 162-179.
17. Pälike, H., Lyle, M.W., Nishi, H., Raffi, I., Ridgwell, A., Gamage, K., Klaus A., IODP Expedition 320/321 Scientists, Chun, C.O.J., Zeebe, R., 2012. A Cenozoic record of the Equatorial Pacific carbonate compensation depth. *Nature*, **488**, 609-615, doi:[10.1038/nature11360](https://doi.org/10.1038/nature11360)
18. Persico, D., Fioroni, C., Villa, G., 2012. A refined calcareous nannofossil biostratigraphy for the middle Eocene - early Oligocene Southern Ocean ODP sites. *Palaeogeography, Palaeoclimatology Palaeoecology*, **335-336**, 12-23, doi: [10.1016/j.palaeo.2011.05.017](https://doi.org/10.1016/j.palaeo.2011.05.017)
19. Rebay, G., Powell, R., 2012. Eclogite-facies sea-floor hydrothermally-altered rocks; calculated phase equilibria for an example from the Western Alps at Servette. *Ophioliti*, **37**(1), 55-63.
20. Roberts, A. P., Chang, L., Heslop, D., Florindo, F., Larrasoña, J. C., 2012. Searching for single domain magnetite in the "pseudo-single-domain" sedimentary haystack; implications of biogenic magnetite preservation

- for sediment magnetism and relative paleointensity determinations. *Journal of Geophysical Research*, **117(B8)**. DOI: 10.1029/2012JB009412
21. Sprovieri, M., Di Stefano, E., Incarbona, A., Salvagio Manta, D., Pelosi, N., Ribera d'Alcalà, M., Sprovieri, R., 2012. Centennial- to millennial-scale oscillations in the Central-Eastern Mediterranean Sea between 20,000 and 70,000 years ago: Evidence from a high-resolution geochemical and micropaleontological record. *Quaternary Science Reviews*, **46**, 126-135.
 22. Storme, J.-Y., Devleeschouwer, X., Schnyder, J., Cambier, G., Baceta, J. I., Pujalte, V., Di Matteo, A., Iacumin, P., Yans, J., 2012. The Palaeocene/Eocene boundary section at Zumaia (Basque-Cantabrian Basin) revisited; new insights from high-resolution magnetic susceptibility and carbon isotope chemostratigraphy on organic matter ($\delta^{13}\text{C}_{\text{org}}$). *Terra Nova*, **24(4)**, 310-317.
 23. Tamburino, S., Insinga, D. D., Sprovieri, M., Petrosino, P., Tiepolo, M., 2012. Major and trace element characterization of tephra layers offshore Pantelleria Island; insights into the last 200 ka of volcanic activity and contribution to the Mediterranean tephrochronology. *Journal of Quaternary Science*, **27(2)**, 129-140.
 24. Tsikalas, F., Faleide, J. I., Eldholm, O., Blaich, O. A., Bally, A. W., 2012. The NE Atlantic conjugate margins. Regional geology and tectonics; Phanerozoic passive margins, cratonic basins and global tectonic maps; Volume 1C, edited by David G. Roberts and Albert W. Bally, p.141-201. Publisher: Elsevier, Amsterdam, Netherlands. ISBN: 978-0-444-56357-6
 25. Wade, B. S., Fucek, V. P., Kamikuri, S.-I., Bartol, M., Luciani, V., Pearson, P. N., 2012. Successive extinctions of muricate planktonic Foraminifera (Morozovelloides and Acarinina) as a candidate for marking the base Priabonian. *Newsletters on Stratigraphy*, **45(3)**, 245-262.

- 2011

1. Agnini, C., Fornaciari, E., Giusberti, L., Grandesso, P., Lanci, L., Luciani, V., Muttoni, G., Pàlike, H., Rio, D., Spofforth, D.J.A., Stefani, C., 2011. Integrated biomagnostratigraphy of the Alano section (NE Italy): A proposal for defining the middle-late Eocene boundary. *Bulletin of the Geological Society of America*, **123**(5), 841 - 872. doi: [10.1130/B30158](https://doi.org/10.1130/B30158)
2. Blackman, D. K., Ildefonse, B., John, B. E., Ohara, Y., Miller, D. J., Abe, N., Abratis, M., Andal, E. S., Andreani, M., Awaji, S., Beard, J. S., Brunelli, D., Charney, A. B., Christie, D. M., Collins, J., Delacour, A. G., Delius, H., Drouin, M., Einaudi, F., Escartin, J., Frost, B. R., Fröh-Green, G., Fryer, P. B., Gee, J. S., Godard, M., Grimes, C. B., Halfpenny, A., Hansen, H. E., Harris, A. C., Tamura, A., Hayman, N. W., Hellebrand, E., Hirose, T., Hirth, J. G., Ishimaru, S., Johnson, K. T. M., Karner, G. D., Linek, M., MacLeod, C. J., Maeda, J., Mason, O. U., McCaig, A. M., Michibayashi, K., Morris, A., Nakagawa, T., Nozaka, T., Rosner, M., Searle, R. C., Suhr, G., Tominaga, M., von der Handt, A., Yamasaki, T., Zhao, X., 2011. Drilling constraints on lithospheric accretion and evolution at Atlantis Massif, Mid-Atlantic Ridge 30°N. *Journal of Geophysical Research*, **116**(B7). DOI: [10.1029/2010JB007931](https://doi.org/10.1029/2010JB007931)
3. Cita, M. B., Bellier, O., Rubino, J.-L., 2011. Georges Clauzon and the Messinian salinity crisis. *Bulletin de la Société Géologique de France*, **182**(2), 67-68.
4. Di Stefano, A., Verducci, M., Casella, A., Iaccarino, S.M., 2011. Calcareous plankton events at the Early/Middle Miocene transition of DSDP Hole 608: comparison with Mediterranean successions for the definition of the Langhian GSSP. *Stratigraphy*, **8**(2-3), 145-161.
5. Kuroda, J., Tanimizu, M., Hori, R.S., Suzuki, K., Ogawa, N.O., Tejada, M.L., Coffin, M.F., Coccioni, R., Erba, E., Ohkouchi, N., 2011. Lead isotopic record of Barremian–Aptian marine sediments: Implications for large igneous provinces and the Aptian climatic crisis. *Earth and Planetary Science Letters*, **307**(1-2), 126-134. doi:[10.1016/j.epsl.2011.04.021](https://doi.org/10.1016/j.epsl.2011.04.021)
6. Erba, E., Bottini, C., Weissert, H.J., Keller, C.E., 2011. Response to Comment on “Calcareous Nannoplankton Response to Surface-Water Acidification Around Oceanic Anoxic Event 1a. *Science*, **332**(6026), 175. DOI: [10.1126/science.1199608](https://doi.org/10.1126/science.1199608)
7. Falzoni, F., Petrizzo, M. R., 2011. Taxonomic overview and evolutionary history of Globotruncanita insignis (Gandolfi, 1955). *Journal of Foraminiferal Research*, **41**, 371-383.
8. Iaccarino, S. M., Di Stefano, A., Foresi, L. M., Turco, E., Baldassini, N., Casella, A., Da Prato, S., Ferraro, L., Gennari, R., Hilgen, F. J., Lirer, F., Maniscalco, R., Mazzei, R., Riforgiato, F., Russo, B., Sagnotti, L., Salvatorini, G., Speranza, F., Verducci, M., Di Stefano, A., Turco, E., 2011. High-resolution integrated stratigraphy of the upper Burdigalian-lower Langhian in the Mediterranean; the Langhian historical stratotype and new candidate section for defining its GSSP. Progress toward the definition of the Global Stratotype Section and Point of the Langhian Stage, edited by Silvia Maria Iaccarino, Agata Di Stefano and Elena Turco. *Stratigraphy*, **8**(2-3), 199-215.
9. Incarbona, A., Sprovieri, M., Lirer, F., Sprovieri, R., 2011. Surface and deep water conditions in the Sicily Channel (central Mediterranean) at the time of sapropel S5 deposition. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **306**, 243-248.
10. Incarbona, A., Ziveri, P., Sabatino, N., Salvagio Manta, D., Sprovieri, M., 2011. Conflicting coccolithophore and geochemical evidence for productivity levels in the Eastern Mediterranean sapropel S1. *Marine Micropaleontology*, **81**(3-4), 131-143.
11. Marino, M., Maiorano, P., Flower, B.P., 2011. Calcareous nannofossil changes during the Mid-Pleistocene Revolution: Paleoecologic and paleoceanographic evidence from North Atlantic Site 980/981. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **306**, 58-69. doi: [10.1016/j.palaeo.2011.03.028](https://doi.org/10.1016/j.palaeo.2011.03.028)
12. Naafs, B. D. A., Hefter, J., Ferretti, P., Stein, R., Haug, G. H., 2011. Sea surface temperatures did not control the first occurrence of Hudson Strait Heinrich events during MIS 16. *Paleoceanography*, **26**(4). DOI: [10.1029/2011PA002135](https://doi.org/10.1029/2011PA002135)
13. Nguyen, T. M. P., Petrizzo, M. R., Stassen, P., Speijer, R. P., 2011. Dissolution susceptibility of Paleocene–Eocene planktic foraminifera: Implications for palaeoceanographic reconstructions. *Marine Micropaleontology*, **81**, 1-21.
14. Petrizzo, M. R., Falzoni, F., Premoli Silva, I., 2011. Identification of the base of the lower-to-middle Campanian Globotruncana ventricosa Zone: Comments on reliability and global correlations. *Cretaceous Research*, **32**(3), 387-405.
15. Roberts, A.P., Florindo, F., Villa, G., Chang, L., Jovane, L., Bohaty, S., Larrasoña, J.C., 2011. Nutrient limitation of magnetotactic bacteria abundance in pelagic marine environments. *Earth and Planetary Science Letters*, **310**, 441-452. doi:[10.1016/j.epsl.2011.08.011](https://doi.org/10.1016/j.epsl.2011.08.011)
16. Rosell-Melé, A., Balestra, B., Kornilova, O., McClymont, E. L., Russell, M., Monechi, S., Troelstra, S., Ziveri, P., 2011. Alkenones and coccoliths in ice-raftered debris during the last glacial maximum in the North Atlantic;

- implications for the use of U>K<37° as a sea surface temperature proxy. *JQS. Journal of Quaternary Science*, **26(6)**, 657-664.
- 17. Salvatorini, G., Riforgiato, F., Verducci, M., 2011. Globorotalia mariae mariae and G. mariae gratiae; two new planktonic Foraminifera from the middle Miocene of the Mediterranean. Progress toward the definition of the Global Stratotype Section and Point of the Langhian Stage, edited by Silvia Maria Iaccarino, Agata Di Stefano and Elena Turco. *Stratigraphy*, **8(2-3)**, 189-198.
 - 18. Soldan, D. M., Petrizzo, M. R., Premoli Silva, I., Cau A., 2011. Phylogenetic relationships and evolutionary history of the Paleogene genus Igorina through parsimony analysis. *Journal of Foraminiferal Research*, **41**, 260-284.
 - 19. Tonarini, S., Leeman, W. P., Leat, P. T., 2011. Subduction erosion of forearc mantle wedge implicated in the genesis of the South Sandwich Island (SSI) arc; evidence from boron isotope systematics. *Earth and Planetary Science Letters*, **301(1-2)**, 275-284.
 - 20. Turco, E., Iaccarino, S. M., Foresi, L. M., Salvatorini, G., Riforgiato, F., Verducci, M., 2011. Revisiting the taxonomy of the intermediate stages in the Globigerinoides-Praeorbulina lineage. Progress toward the definition of the Global Stratotype Section and Point of the Langhian Stage, edited by Silvia Maria Iaccarino, Agata Di Stefano and Elena Turco. *Stratigraphy*, **8(2-3)**, 163-187.
 - 21. Venuti, A., Florindo, F., Caburlotto, A., Hounslow, M. W., Hillenbrand, C.-D., Strada, E., Talarico, F. M., Cavallo, A., 2011. Late Quaternary sediments from deep-sea sediment drifts on the Antarctic Peninsula Pacific margin; climatic control on provenance of minerals. *Journal of Geophysical Research*, **116(B6)**. DOI: [10.1029/2010JB007952](https://doi.org/10.1029/2010JB007952)
 - 22. Volpi, V., Amblas, D., Camerlenghi, A., Canals, M., Rebesco, M., Urgeles, R., 2011,. Late Neogene to Recent seafloor instability on the deep Pacific margin of the Antarctic Peninsula. In: C. Shipp, P. Weimer, H. Posamentier (Eds.), Mass-Transport Deposits in Deepwater Settings, *Society for Sedimentary Geology SEPM Special Publication*, **96**, 161-181.

- 2010

1. Casellato, C.E., 2010. Calcareous nannofossil biostratigraphy of Upper Callovian-Lower Berriasiian successions from Southern Alps, North Italy. *Rivista Italiana di Paleontologia e Stratigrafia*, **116(3)**, 357-404.
2. Censi, P., Incarbona, A., Oliveri, E., Bonomo, S., Tranchida, S. (2010). Yttrium and REE segniture recognized in Central Mediterranean Sea (ODP Site 963) during the MIS 6-MIS 5 transition. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **292(1-2)**, 201-210.
3. Clague, D. A., Braga, J. C., Bassi, D., Fullagar, P. D., Renema, W., Webster, J.M., Raes, N., Linder, P., Triantis, K., Fernández-Palacios, J. M., Whittaker, R.J., 2010. The maximum age of Hawaiian terrestrial lineages; geological constraints from Koko Seamount. *Journal of Biogeography*, **37(6)**, 1022-1033; Evolutionary islands; 150 years after Darwin, Leiden, Netherlands, Feb. 11-13, 2009.
4. Di Stefano, A., 2010. Evaluating repetition in sedimentary successions using high resolution integrated stratigraphy: an example in the Lower Pliocene sequence of ODP Hole 975b. *Riv. It. Paleont. Strat.*, **116(1)**, 51-61.
5. Di Stefano, E., Incarbona, A., Bonomo, S., Pelosi, N., 2010. Coccolithophores in Water Samples and Fossil Assemblages in Sedimentary Archives of the Mediterranean Sea: A Review. In: Martorino, L., Puopolo, K., (Eds.), *New Oceanography Research Developments: Marine Chemistry, Ocean Floor Analyses and Marine Phytoplankton*. Nova Science Publishers, New York, USA, ISBN:978-1-60876-341-2, pp. 127-162.
6. Di Stefano, A., Sturiale, G., 2010. Refinements of calcareous nannofossil biostratigraphy at the Miocene/Pliocene boundary in the Mediterranean region. *Geobios*, **449**, 5-20. doi: 10.1016/j.geobios.2009.06.007
7. Dinarés-Turell, J., Stoykova, K., Baceta, J. I., Ivanov, M., Pujalte, V., 2010. High-resolution intra- and interbasinal correlation of the Danian-Selandian transition (early Paleocene); the Bjala section (Bulgaria) and the Selandian GSSP at Zumaia (Spain). *Palaeogeography, Palaeoclimatology, Palaeoecology*, **297(2)**, 511-533.
8. Erba, E., Bottini, C., Weissert, H.J., Keller, C.E., 2010. Calcareous Nannoplankton Response to Surface-Water Acidification Around Oceanic Anoxic Event 1a. *Science*, **329(5990)**, 428-432. DOI: 10.1126/science.1188886
9. Fletcher, W.J., Sánchez Goñi, M. F., Allen, J. R. M., Cheddadi, R., Combourieu-Nebout, N., Huntley, B., Lawson, I., Londeix, L., Magri, D., Margari, V., Müller, U. C., Naughton, F., Novenko, E., Roucoux, K., Tzedakis, P., 2010. Vegetation response to millennial-scale variability during the last glacial, edited by Maria Fernanda Sanchez Goñi and Sandy P. Harrison. *Quaternary Science Reviews*, **29(21-22)**, 2839-2864.
10. Fontana E., G.J., Iturrino, Tartarotti, P., 2010. Depth-shifting and orientation of core data using a core-log integration approach: a case study from ODP-IODP Hole 1256D. *Tectonophysics*, **494(1-2)**, 85-100.
11. Fornaciari, E., Agnini, C., Catanzariti, R., Rio, D., Bolla, E.M., Valvasoni, E., 2010. Mid-latitude calcareous nannofossil biostratigraphy and biochronology across the middle to late eocene transition. *Stratigraphy*, **7(4)**, 229 – 264.
12. Giuli, G., Eeckhout, S. G., Cicconi, M. R., Koeberl, C., Pratesi, G., Paris, E., Reimold, W. U., 2010. Iron oxidation state and local structure in North American tektites. Large meteorite impacts and planetary evolution IV, edited by Roger L. Gibson and Wolf Uwe Reimold. *Special Paper - Geological Society of America*, **465**, 645-651.
13. Hanslik, D., Jakobsson, M., Backman, J., Björck, S., Sellén, E., O'Regan, M., Fornaciari, E., Skog, G., 2010. Quaternary Arctic Ocean sea ice variations and radiocarbon reservoir age corrections. *Quaternary Science Reviews*, **29 (25-26)**, 3430 – 3441. doi: 10.1016/j.quascirev.2010.06.011
14. Incarbona, A., Bonomo, S., Di Stefano, E., Sprovieri, R., Pelosi, N., Sprovieri, M., 2010. Millennial-scale paleoenvironmental changes in the central Mediterranean during the Last Interglacial: comparison with European and Mediterranean records. *Geobios*, **43**, 111-122.
15. Incarbona, A., Zarcone, G., Agate, M., Bonomo, S., Di Stefano, E., Masini, F., Russo, F., Sineo, L., 2010. A multidisciplinary approach to reveal the Sicily Climate and Environment over the last 20,000 years. *Central European Journal of Geosciences*, **2**, 71-82.
16. Maiorano P., Capotondi L., Ciaranfi N., Girone A., Lirer E., Marino M., Pelosi N., Petrosino P., Piscitelli A. (2010). Vrica-Crotone and Montalbano Jonico sections: A potential unit-stratotype of the Calabrian Stage. *Episodes*, vol. 33, p. 218-233.
17. Panseri, M., Tartarotti, P., Crispini, L., 2010. Felsic segregation during crystallization of a subaqueous lava field (ODP-IODP Site 1256, East Pacific Rise): Inferences from structure and petrography. *J. Volcanol. and Geothermal Res.*, **196**, 31-44. DOI: 10.1016/j.jvolgeores.2010.07.005
18. Schulte, P., Alegret, L., Arenillas, I., Arz, J. A., Barton, P. J., Bown, P. R., Bralower, T. J., Christeson, G. L., Claeys, P., Cockell, C. S., Collins, G. S., Deutsch, A., Goldin, T. J., Goto, K., Grajales-Nishimura, J. M., Grieve, R. A. F., Gulick, S. P. S., Johnson, K. R., Kiessling, W., Koeberl, C., Kring, D. A., MacLeod, K. G., Matsui, T., Melosh, J., Montanari, A., Morgan, J. V., Neal, C. R., Nichols, D. J., Norris, R. D., Pierazzo, E., Ravizza, G., Rebolledo-Vieyra, M., Reimold, W. U., Robin, E., Salge, T., Speijer, R. P., Sweet, A. R., Urrutia-Fucugauchi, J.,

- Vajda, V., Whalen, M. T., Willumsen, P. S., 2010. The Chicxulub asteroid impact and mass extinction at the Cretaceous-Paleogene boundary. *Science*, **327(5970)**, 1214-1218.
19. Spofforth, D. J. A., Agnini, C., Palike, Heiko, Rio, D., Fornaciari, E., Giusberti, L., Luciani, V., Lanci, L., Muttoni, G., 2010. Organic carbon burial following the middle Eocene climatic optimum in the central western Tethys. *Paleoceanography*, **25(3)**, PA3210. doi:10.1029/2009PA00173
20. Tartarotti, P., Crispini, L., Taverna, L., 2010. Structure of the “Transition Zone” in the oceanic crust from the Cocos Plate (Pacific Ocean). Convegno annuale Gruppo Italiano di Geologia Strutturale, Potenza 7-8 giugno 2010. *Rendiconti online Soc. Geol. It.*, **10**, 141-144.
21. Westphal, H., Heindel, K., Brandano, M., Peckmann, J., 2010. Genesis of microbialites as contemporaneous framework components of deglacial coral reefs, Tahiti (IODP 310). *Facies*, **56(3)**, p.337-352.